WAIER WELL R		WWC-5		sion of Water		MW-9			
Original Record		e in Well Use		urces App. No.		Well ID			
1 LOCATION OF W.		Fraction		ion Number	Township Numbe				
County: Pottawato	mie	SE 1/4 SW 1/4 SW 1/4		4	T 10 S	R 10 E W			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and									
Business: KDHE direction from nearest town or intersection): If at owner's address, check here:									
Address: 1000 SW Jackson St. Adverse 350 ' Cast at intersection of Hwy 99									
Address: Suite 420			11 .1						
City: Topeka	State: KS	ZIP: 66612-1367	+ 14 th	St. Wa	mego, Ks.	+ 350'504th			
3 LOCATE WELL	A DEPTH OF COM	IPLETED WELL:	20.0 ₽		. 39.21045	(decimal degrees)			
WITH "X" IN	Denth(s) Groundwater	Encountered: 1)10.1	1 A	5 Lantique	96 3042	(decimal degrees)			
SECTION BOX:	2) ff	3) ft., or 4) \square	Dry Well	Longitude: 96.30429 (decimal degrees) Horizontal Datum: ■ WGS 84 □ NAD 83 □ NAD 27					
N		TER LEVEL:							
	1 (2.20)	, measured on (mo-day-y		Source for Latitude/Longitude: GPS (unit make/model:)					
NW NE		, measured on (mo-day-y		(WAAS enabled? ☐ Yes ☐ No)					
NW NE		vater was ft.		Land Survey Topographic Map					
W E	1 *	s pumpingg		Online Mapper:					
"		vater was ft.		Connic Mapper					
SW SE	1	s pumpingg			4000 70				
	Estimated Vield:	enm	-	6 Elevation: 1002.76ft. ☐ Ground Level ■ TOC					
S	Bore Hole Diameter:	8.75 in to 20.0	ft. and	Source: ■ Land Survey ☐ GPS ☐ Topographic Map					
1 mile		in. to	ft.	☐ Other					
7 WELL WATER TO					Proc. (1981) 1881 1881 1881 1881 1881 1881 1881	delice delice delice del constitución de la constit			
l. Domestic:		ter Supply: well ID		10. □ Oil Fi	eld Water Supply- les	ase			
Household		g: how many wells?		Oil Field Water Supply: lease Test Hole: well ID					
☐ Lawn & Garden	7 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	echarge: well ID		☐ Cased ☐ Uncased ☐ Geotechnical					
Livestock	8. Monitorin	echarge: well IDg: well IDMW	-9		nal: how many bores				
2. Irrigation		al Remediation: well ID							
3. ☐ Feedlot	☐ Air Sparge				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water				
4. ☐ Industrial	☐ Recovery								
Was a chemical/bacter		ntted to KDHE? Y	es No	If yes, date sa	mple was submitted	1:			
Water well disinfected?									
8 TYPE OF CASING	USED: ☐ Steel ■ PV	C Other	CASIN	IG JOINTS: 🛭	☐ Glued ☐ Clamped	☐ Welded ■ Threaded			
Casing diameter2	in. to10.0 ft.,	Diameter i	n. to	ft., Diamete	r in. to	ft.			
Casing diameter 2 in to 10.0 ft., Diameter in to ft., Diameter in to ft. Diameter in to ft. Casing height above land surface 0 in Weight lbs./ft. Wall thickness or gauge No. Sch 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galv	anized Steel	rete tile	ed (open hole)					
SCREEN OR PERFOR.	ATION OPENINGS A	RE:							
☐ Continuous Slot	■ Mill Slot □ G	auze Wrapped Tor	ch Cut 🔲 Di	rilled Holes 🗌	Other (Specify)				
☐ Louvered Shutter	☐ Key Punched ☐ W	/ire Wrapped Saw	Cut N	one (Open Hole)				
SCREEN-PERFORATE	ED INTERVALS: From	n .10,0 ft. to .20.0	ft., From	ft. to	ft., From	ft. to ft.			
GRAVEL PACK INTERVALS: From8.0 ft. to20.0 ft., From									
Grout Intervals: From 1 ft. to .8.0 ft., From .0 ft. to 1 ft., From ft. to ft.									
Nearest source of possible contamination:									
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage									
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify)									
Direction from well?	***************************************	Distance from wel	11?		ft.				
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS			
	Clay, brown, gravely,								
	Clay, dark brown, dan								
	Clay, dark brown, dan								
13 20 0	Clay, red brown, silty,	wet							
		The state of the s							
			Notes:	.1	~11/15	project code			
Notes: 44-075-01140 Project code									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) 2-21-2022 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo-day-year)									
Kansas Water Well Con	tractor's License No.	604 This Wat	er Well Rec	ord was compl	eted on (mo-day-ye	ear) .3/15/22			
under the business name	e of Environmental P	riority Service, Inc	Sig	nature	ta				
Mail 1 white copy alo	ng with a fee of \$5.00 for ea	ch constructed well to: Kans	as Department	of Health and Env	rironment, Bureau of Wa	ater, GWTS Section,			
	., Suite 420, Topeka, Kansas								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Dusty Myrup GSI 2900 NW Button Road, Suite A-7 Topeka, Kansas, 66616 March 7, 2022

RE: Monitor Well Elevation Survey 4455 N. Highway 99, Wamego, Kansas Proj. 22-00P Ebert Construction KDHE ID U4-075-01140

Bench Mark: Chisled Square on Southwest corner of concrete storm inlet near a transformer pole West of the building.

Elev: 10	07.39	North 3167.2	24 ₹	Vest 2414.62	(from SE Cor. Sec. 4-10-10E)
∕MW- 1	rim	1007.86	North	3207.27	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1007.30	West	2179.65	Lat= 39.21161 Long = 96.30415
MW-2	rim	1007.46	North	3170.68	NW1/4,SW1/4,SW1/4,NE1/4
	top pipe	1006.98	West	2380.29	Lat= 39.21149 Long = 96.30485
√MW-3	rim	1008.43	North	3298.44	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1007.86	West	2243.87	Lat= 39.21185 Long = 96.30439
✓MW-4	rim	1006.62	North	3127.90	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1006.06	West	2181.49	Lat= 39.21139 Long = 96.30415
MW-5	rim	1006.54	North	3043.89	NE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1006.03	West	2269.04	Lat= 39.21115 Long = 96.30443
MW-6	rim	1005.60	North	2929.19	SE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1004.90	West	2182.64	Lat= 39.21093 Long = 96.30413
MW-7	rim	1000.86	North	2885.54	SW1/4,SW1/4,SW1/4,NE1/4
	top pipe	1000.55	West	2399.27	Lat= 39.21070 Long = 96.30488
MW-9	rim	1003.14	North	2786.28	SE1/4,SW1/4,SW1/4,NE1/4
	top pipe	1002.76	West	2237.28	Lat= 39.21045 Long = 96.30429

Lat & Long derived from Wameigo 7.5' quad map. WGS84

Elevation established from NGS BM T 370, NAVD 88

If yet the east estions, please feel free to call me. Thank you for the opportunity to be

Deanis L Handke R LS



