WATER WELL R		WWC-5	_	Division of W				MW22		
Original Record		ge in Well Use		esources App			Well ID			
1 LOCATION OF W			Section Number		Township Numb					
County: POTTAW	SE¼ SE¼ SE⅓		t or Rural Address where well is located (if unknown, distance				0 ■E □ W			
2 WELL OWNER: L	ast Name:	First:								
Business: KDHE Address: 1000 SE JACKSON ST										
Address: 1000 SE JACKSON ST Address: 601 LINCOLN ST										
City: TOPEKA	O, KS									
3 LOCATE WELL										
WITH "X" IN	4 DEPTH OF COMPLETED WELL:45 ft. 5 Latitude:									
	SECTION BOX: Depth(s) Groundwater Encountered: 1)36					Longitude: 96.30544 (decimal degrees)				
$N = \{2\}$ tt. 3) tt., or 4) \square Dry Well					Horizontal Datum: ☐ WGS 84 ■ NAD 83 ☐ NAD 27					
WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude:					
' '	/-yr) /-yr)	_ = = = (, /								
NW NE										
W E	Pump test data: Well water was					Land Survey Topographic Map				
"		☐ Online Mapper:								
SW SE		water wasrs pumping			000.74					
	gnm		6 Elevation: 893.74ft. ☐ Ground Level ■ TOC							
S	8.5 in. to 45	Sou	Source: Land Survey GPS Topographic Map							
mile		in. to	ft.] Other				
7 WELL WATER TO BE USED AS:										
1. Domestic:		ater Supply: well ID		10. 🗆	Oil Fi	eld Water Supply: 16	ease			
☐ Household	6. ☐ Dewatering: how many wells?				11. Test Hole: well ID					
☐ Lawn & Garden						☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livestock	☐ Livestock 8. Monitoring: well ID					12. Geothermal: how many bores?				
2. Irrigation	9. Environmental Remediation: well ID				a) Closed Loop					
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction					b) Open Loop Surface Discharge Inj. of Water					
4. Industrial	☐ Recovery	☐ Injection		13. 🗆	Other	(specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:										
Water well disinfected? ☐ Yes ■ No										
8 TYPE OF CASING USED: ☐ Steel PVC ☐ Other										
Casing diameter										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .30 ft. to .45 ft., From										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete Surface Completion U - 1 Grout Intervals: From										
Grout Intervals: From										
Nearest source of possible contamination:										
Septic Tank	Lateral Lin			☐ Livestock			cide Storage			
Sewer Lines	Cess Pool	☐ Sewage L	agoon	Fuel Stora			oned Water			
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well										
☐ Other (Specify) Direction from well? SOUTHWEST Distance from well? 35 ft.										
10 FROM TO	LITHOLO		FROM		T 1'	THO. LOG (cont.) or	PLUCCIN	IC INTERVALE		
	CONCRETE (8")	GIC LOG	FROM	10	+ 11	1110. LOO (COIR.) OI	LUUUIN	O BALEKAMES		
	Silty Clay (CL), brown									
	SAND, DARK BROW				+					
777	UNITE, DAINE BROW	/17	-		+					
					+					
	VALUE AL NO.				+					
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) 4/28/22 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (modally-year) \$123/22										
under the business name of Associated Environmental, Inc. Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureago Water, GWTS Section,										
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdhek		2 330 12 .307. Might Offe to	KSA 82a		5.10			d 7/10/2015		

