		ER WELL RECORD Form			
LOCATION OF WA	TER WELL: Fraction	NW NE	Section Number	1 17)	Range Number
County: Pott.	D.W.	N.W. N.E.	12	T 10 S	R II (E/W
	n from nearest town or city street on Schoemann Rd., 1	$\frac{1}{2}$ ea., and $\frac{1}{4}$ so	in city? 4 mi. e	ast of St. Marys	on U.S. 24,
WATER WELL O	WNER: Pessimier Co.				
_ RR#, St. Address, Bo	Dx # : Box 206			Board of Agriculture,	Division of Water Resources
City, State, ZIP Code		56536		Application Number:	40.945
LOCATE WELL'S	OCATION WITHIAL DEPTH OF	COMPLETED WELL76.	ft. ELEVA		
AN "X" IN SECTIO	ON BOX: Depth(s) Groun	idwater Encountered 11	5 ft	2 ft	3
ī [	WELL'S STATE	C WATER LEVEL 1.5	ft below land su	rface measured on mo/day/v	- 2 <b>-1</b> 9-9 <b>4</b>
1 i	But	on took data: Wall water was	29	1 Lace Theasured on The day y	600
NW	X - NE 20	mp test data: Well water was	47	nter <del> nours p</del>	1500
!!!	Est. Yield	neter	76π. ε	iπer nours p	umping . #299 gpm
≝ w <del>                                   </del>					
2	1 1 1 1 .		blic water supply	•	Injection well
sw	1 Domesti			9 Dewatering 12	
	2 Irrigation	-	-	10 Monitoring well	
ļ <u>L </u>	Was a chemica	I/bacteriological sample submit	ted to Department? Y	es; If ye	s, mo/day/yr sample was sub
L	S mitted		Wa	ter Well Disinfected? Yes	No XX
5 TYPE OF BLANK	CASING USED:	5 Wrought iron	B Concrete tile	CASING JOINTS: Glu-	ed . XX Clamped XX .
1 Steel	3 RMP (SR)	6 Asbestos-Cement	Other (specify below	w) Wel	ded
- 2 PVC	4 ABS	7 Fiberglass		Thre	eaded
Blank casing diamete	r 16 in. to 56	ft., Dia	in. to		
	land surface12				
	OR PERFORATION MATERIAL:	<b>3</b>	7 PYC_	10 Asbestos-cen	• 20
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)		 ()
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (d	
	PRATION OPENINGS ARE:	5 Gauzed wra		8 Saw cut	11 None (open hole)
1 Continuous si					11 None (open noie)
A		6 Wire wrapp	ea	9 Drilled holes	
2 Louvered shu	tter 4 Key punched	7 Torch cut		10 Other (specify)	
SCREEN-PERFORAT	FED INTERVALS: From →	5 ft. to76.	π., Fro	m π.	τοπ.
	From		ft., Fro	m ft.	toft.
GRAVEL PA	ACK INTERVALS: From	5			toft.
	From	ft. to	ft., Fro	m ft.	to ft.
6 GROUT MATERIA				Other	
Grout Intervals: Fro	om <u> </u>	ft., From	ft. to	ft., From	ft. to
What is the nearest s	source of possible contamination:		10 Lives	stock pens 14	Abandoned water well
<ol> <li>Septic tank</li> </ol>	4 Lateral lines	7 Pit privy	11 Fuel	storage 15	Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Ferti	izer storage 16	Other (specify below)
3 Watertight se	wer lines 6 Seepage pit	9 Feedyard	13 Insec	cticide storage	none
Direction from well?	, , ,	•	How ma	iny feet?	
FROM TO	LITHOLOGIC	C LOG F	ROM TO		INTERVALS
0 6	Brown sandy silt				
6 11	Fine brown sand				
11 20	Medium brown grave	and grev clay			
20 34	Medium-large gret	ravel			
34 47	Small grey gravel				
47 51	Medium grey gravel	wire Erea Cray			
51 76	Modium James				
76	Medium-large grey	graver			
	Weathered shale, st	copped			
CONTRACTORIO	OR LANDOWNER'S CERTIFICATI	TION: This water well was (4)	constructed (0) =::	protected as (0) attracted	adar mu juriadiatian and
1 CONTRACTOR'S	OR LANDOWNER'S CERTIFICA	I ION: This water well was (1)	constructed, (2) rec	onstructed, or (3) plugged ur	ider my jurisdiction and was
	y/year) 2-18				
water Well Contracto					
	r's License No323	Ihis Water Well He	ecora was completed	on (mo/day/yr)	<b>年</b> /-/
inder the business n	r's License No. 323 Hoobl typewriter or ball point pen. PLEASE PRESS	er Drilling Co.	by (signa	iture)	