WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number NE ¼ NW Pottawatomie NW 1/4 11 Distance and direction from nearest town or city street address of well if located within city? 305 Noble Belvue, KS 66407 2 WATER WELL OWNER: Nemaha County Coop RR#, St. Address, Box # : 223 E. Main Board of Agriculture, Division of Water Resources Seneca, KS 66538 Application Number: City, State, ZIP Code LOCATE WELL'S LOCATON WITH 4 35 ft. ELEVATION: DEPTH OF COMPLETED WELL AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1.5 ft. 2 ft. 3 Ft. WELL'S STATIC WATER LEVEL _____ft. below land surface measured on mo/day/yr _____ Х Pump test data: Well water was Ft. after hours pumping Gpm NW-ΝE Est. Yield Gpm: Well water was Ft. after Hours pumping Gpm
Bore Hole Diameter 6.5 In. to 35 ft. and in. to Ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) w 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot SW. SE .. 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Water Well Disinfected? Yes No X Submitted 5 TYPE OF BLANK CASING USED: CASING JOINTS: Glued Clamped 5 Wrought Iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 RMP (SR) Threaded X 4 ABS 7 Fiberglass -----Ft., In. to _____ft., Dia _____in. to _____ft. Blank casing diameter 2 in. to Dia SCH 40 Lbs./ft. Wall thickness or gauge No. Casing height above land surface FLUSH In., weight 7 PVC 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL: 11 Other (specify) 8 RMP (SR) 1 Steel 3 Stainless steel 5 Fiberglass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 10 Other (specify) 7 Torch cut 2 Louvered shutter 4 Key punched From **25** ft. to **35** ft. From ft. to ft. SCREEN-PERFORATED INTERVALS: SAND PACK INTERVALS: ft. to 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentoпite 4 Other Ft. Ft. Grout Intervals From 2 0 ft. to 0.5 From 3 0.5 to 23 ft. From ft. to ft. What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 16 Other (specify below) 2 Sewer lines 8 Sewage lagoon 12 Fertilizer storage 5 Cess pool **Contaminated Site** 6 Seepage pit 3 Watertight sewer lines 9 Feedyard 13 Insecticide storage Direction from well? How many feet? PLUGGING INTERVALS FROM TO CODE LITHOLOGIC LOG TO 0 Topsoil 8 Sandy Silt 12 16 Silt 16 35 Sand 35 TD End of Borehole 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w Completed on (mo/day/yr) 02/26/15 And this record is true to the best of my knowledge and belief. Kansas This Water Well Record was completed on (mo/day/yr) 03/20/15 Water Well Contractor's License No. By (signature) Bradley J. Johnson Associated Environmental, Inc. under the business name of INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau Water

Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.