	WATER WELL RECORD Form			
1 LOCATION OF WATER WELL:	•	Section Number		Range Number
	NW ½ NW ½ SW n or city street address of well if located with	½ 8	т 10 s	R 12 (B)W
Notation and disorder from Hearest town	Tor only street address of Well II located Will	init oly f		
WATER WELL OWNER: Chris F	loyer/Pessemeier Co			
RR#, St. Address, Box# : POBo	x 206		Board of Agriculture, Div	rision of Water Resources
Sity State ZID Code St Mar	ve Ke 66536-0206		•	69624 43700
LOCATE WELL'S LOCATON WITH				
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	44 ft. ELEV	ATION:	
N	Depth(s) Groundwater Encountered 1	ft.	2 ft.	3ft.
	WELL'S STATIC WATER LEVEL	18 ft. below land s	urface measured on mo/day	/yr
	Pump test data: Well water w			pumpina apm
NWNE	Est Vield anm: Well water v	voe fi	after hours	numning anm
W . E	Pore Hole Diameter 28 in to	48	# and	n to #
" X	Est. Yield gpm: Well water w Bore Hole Diameter 28 in. to WELL WATER TO BE USED AS: 5 Pub 1 Domestic 3 Feed fot 6 Oil	olic water supply	8 Air conditioning	1 Injection well
	1 Domestic 3 Feed lot 6 Oil	field water supply	9 Dewatering 1	2 Other (Specify below)
SE	2 Irrigation 4 Industrial 7 Law	vn and garden (domestic) 10 Monitoring well	
	Was a chemical/bacteriological sample sul			
•	submitted		er Well Disinfected? Yes	
· · · · · · · · · · · · · · · · · · ·				
TYPE OF BLANK CASING USED:			CASING JOINTS: Glue	
		9 Other (specify below	v) Wek	ded
2 PVC 4 ABS	7 Fiberglass		Thre	aded
lank casing diameter 16	in. to 24 ft., Dia	in. to	ft., Dia	in, to ft.
asing height above land surface	24 in., weight 16	6.15 lbs./ft.	Wall thickness or gauge No	500
YPE OF SCREEN OR PERFORATION	MATERIAL:	7 PVC	10 Asbestos-cem	ent
1 Steel 3 Stainle	ss steel 5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass 4 Galvan	sized steel 6 Concrete tile	9 ABS	12 None used (or	en hole)
CREEN OR PERFORATION OPENIN	GS ARE: 5 Gauzeo	d wrapped	11 Other (specify 12 None used (or 8 Saw cut	11 None (open hole)
1 Continuous slot 3	Mill slot 6 Wire wr	rapped	9 Drilled holes	
2 Louvered shutter 4	Key punched 7 Torch c	;ut	10 Other (specify)	
CREEN-PERFORATED INTERVALS:		44 ft. F	rom ft.	
	Fromft. to	ft. F	romft.	to ft.
GRAVEL PACK INTERVALS:	From 20 ft. to	44 ft. F	rom ft.	to ft.
*	From ft. to	ft. F	rom ft.	to ft.
GROUT MATERIAL: 1 Neat of	ement 2 Cement grout	3 Bentonite	4 Other	
Frout Intervals From 0	ft. to 20 ft. From	ft. to	ft. From	ff. to ft.
Vhat is the nearest source of possible of	contamination:	10 Lives	ock pens 14 At	pandoned water well
	4 Lateral lines 7 Pit privy		torage 15 Oi	
	5 Cess pool 8 Sewage la		zer storage 16 O	
3 Watertight sewer lines	6 Seepage pit 9 Feedyard		icide storage	none
Direction from well?	o Geehage pit a Feedyald	How many		
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING I	NTERVALS
	rface	TROW TO	1,00001101	MILITARIO
3 13 Cia		· · · · · · · · · · · · · · · · · · ·		
	d sd & gravel (loose)	1		
	rge gravel	 		
47 48 sh	ale	 		
77 70 811	AIV	 		
	WINTER TO THE PARTY OF THE PART			
		1 1 1		

CONTRACTOR'S OR LANDOWNER	₹'S CERTIFICATION: This water well was	(1) constructed. (2) recon	structed, or (3) plugged under	er my jurisdiction and was
CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATION: This water well was ((1) constructed, (2) record is to	structed, or (3) plugged unde	er my jurisdiction and was
ompleted on (mo/day/yr)	3-14-07	and this record is tr	structed, or (3) plugged under ue to the best of my knowle	er my jurisdiction and was dge and belief. Kansas
completed on (mo/day/yr) Nater Well Contractor's License No.	R'S CERTIFICATION: This water well was (3-14-07 554 Woofter Pump & Well Into a sand circle the correct answers. Send three co	and this record is to	ue to the best of my knowle cord was completed on (mo	dge and belief. Kansas o/day/yr) 3-30-07