WATER WELL RECORD		Form WWC-5	Division of Water	r Resources App. N		
1 LOCATION OF WATER WELL: County: Pottawatomie		Fraction 1/4 SW 1/4 NW 1/4 SE 1/4	Section Number 10		Range Number R 12 ☑E □W	
Street/Rura	al Address of Well Location	n; if unknown, distance & direction	Global Positioning System (GPS) information:			
from neare	st town or intersection: If	at owner's address, check here .	Latitude: (in decimal degrees)			
103 W. B	103 W. Bertrand			Longitude: (in decimal degrees)		
St. Marys, KS			Elevation:			
2 WATER WELL OWNER: LC McClain, IncRoger Braden			Collection Method:			
RR#, Street Address, Box #: 211 North Main Street			GPS unit (Make/Model:)			
City, State, ZIP Code : Rossville		e, KS 66533 Digital Map/Photo, Topographic Map, La		ic Map, Land Survey		
Est. Accuracy:						
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .30 ft.						
	SECTION BOX: Depth(s) Groundwater Encountered (1).~27					
N	WELL S STATIC WATER ELVEL					
Pump test data: Well water wasft. after hours pumping g						
EST. YIELDgpm. Well water wasft. after hours pumpinggp						
W						
Demostic Deadlot Doil field water supply Dewatering Dother (Specify below)						
SW SE Domestic Tection Domestic-lawn & garden Monitoring well Air Sparge						
Was a chemical/bacteriological sample submitted to Department? Yes V No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2 in. to .15 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface. NM in., Weightlbs./ft., Wall thickness or gauge No						
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 15. ft. to30. ft., From						
From						
GRAVEL PACK INTERVALS: From. 13 ft. to30 ft., From ft. to ft.						
From ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other						
Grout Intervals: From .1						
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Lust Site ☐ Direction from well ☐ Distance from well Distance from well ☐ Distance from well Distance fr						
		OGIC LOG FROM			ICCINC INTERVALC	
FROM TO	Concrete	JOIC LOG TROW	10 LITTO, LC	o (cont.) or FLC	JGGING INTERVALS	
1 15	Clay, silty					
15 24	Silt, clayey					
24 30	Sand, silty, very fine	to fine				
				VOBW		
				-		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .03/19/2009 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on modely/year) 9529/2009						
under the business name of Coranco Great Plains, Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						