


1 LOCATION OF WATER WELL: County: Pottawatomie Distance and direction from nearest town or city street address of well if located within city? 103 W. Bertrand, St. Marys		Fraction SW 1/4 NW 1/4 SE 1/4	Section Number 10	Township Number T 10 S	Range Number R 12 E																																																																								
2 WATER WELL OWNER: L.C. McClain, Inc. RR#, St. Address, Box # : 207 Perry City, State, ZIP Code : Rossville, KS 66533 Board of Agriculture, Division of Water Resources Application Number:																																																																													
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: 37.5 ft. ELEVATION: 954.22 Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL _____ ft. below land surface measured on mo/day/yr Pump test data: Well water was NA ft. after _____ hours pumping _____ gpm Est. Yield NA gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 8 in. to 37.5 ft., and _____ in. to _____ ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Air sparge Was a chemical/bacteriological sample submitted to Department? Yes _____ No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <input checked="" type="checkbox"/>																																																																											
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ Blank casing diameter 2 in. to 35 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft. Casing height above land surface -8.88 in., weight _____ lbs./ft. Wall thickness or gauge No. _____ TYPE OF SCREEN OR PERFORATION MATERIAL 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) _____ 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 35 ft. to 37.5 ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 33 ft. to 37.5 ft., From _____ ft. to _____ ft.																																																																													
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____ Grout intervals: From 3 ft. to 33 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? _____ How many feet? _____																																																																													
<table border="1"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>0.5</td><td>Concrete and sand,</td><td></td><td></td><td></td></tr><tr><td>0.5</td><td>2.5</td><td>Clay, sl. silty, Black</td><td></td><td></td><td></td></tr><tr><td>2.5</td><td>8</td><td>Clay, sl. silty, Tan to Gray</td><td></td><td></td><td></td></tr><tr><td>8</td><td>11</td><td>Clay, sl. silty, Olive</td><td></td><td></td><td></td></tr><tr><td>11</td><td>17</td><td>Silt, Tan to Gray</td><td></td><td></td><td></td></tr><tr><td>17</td><td>20</td><td>Silt, sl. sandy, Tan to Gray</td><td></td><td></td><td></td></tr><tr><td>20</td><td>23.5</td><td>Sand, f. silty, Tan to Gray</td><td></td><td></td><td></td></tr><tr><td>23.5</td><td>24.5</td><td>Gravel, w/c sand, Gray</td><td></td><td></td><td></td></tr><tr><td>24.5</td><td>25</td><td>Clay, sandy, Gray</td><td></td><td></td><td></td></tr><tr><td>25</td><td>37.5</td><td>Gravel w/m-c sand, Gray</td><td></td><td></td><td></td></tr><tr><td colspan="3"></td><td colspan="3">ASW-3, Tag # 0046268, Flushmount</td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	0.5	Concrete and sand,				0.5	2.5	Clay, sl. silty, Black				2.5	8	Clay, sl. silty, Tan to Gray				8	11	Clay, sl. silty, Olive				11	17	Silt, Tan to Gray				17	20	Silt, sl. sandy, Tan to Gray				20	23.5	Sand, f. silty, Tan to Gray				23.5	24.5	Gravel, w/c sand, Gray				24.5	25	Clay, sandy, Gray				25	37.5	Gravel w/m-c sand, Gray							ASW-3, Tag # 0046268, Flushmount		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																								
0	0.5	Concrete and sand,																																																																											
0.5	2.5	Clay, sl. silty, Black																																																																											
2.5	8	Clay, sl. silty, Tan to Gray																																																																											
8	11	Clay, sl. silty, Olive																																																																											
11	17	Silt, Tan to Gray																																																																											
17	20	Silt, sl. sandy, Tan to Gray																																																																											
20	23.5	Sand, f. silty, Tan to Gray																																																																											
23.5	24.5	Gravel, w/c sand, Gray																																																																											
24.5	25	Clay, sandy, Gray																																																																											
25	37.5	Gravel w/m-c sand, Gray																																																																											
			ASW-3, Tag # 0046268, Flushmount																																																																										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/18/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 6/15/2010 under the business name of GeoCore, Inc. by (signature) <i>[Signature]</i>																																																																													
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																																																													