		WATER WE	LL RECORD	Form WWC-5	KSA 82a	1212		
LOCATION OF WAT	ER WELL:	Fraction center , NV	I NE	Sect	ion_Number	Township Nun	nber	Range Number
County: Pottawato		74	1/4	/4		T 0. 61 W	S	R EW
Distance and direction				ball fie	S.W. com	ner of St. M	arys Hl	gn School
WATER WELL OW		School Dist	rict 321					
RR#, St. Address, Box	# : P.O. Box					Board of Agr	riculture, Di	vision of Water Resource
City, State, ZIP Code	St. Mary	s Ks 66536				Application N	Number:	vision of Water Resource
LOCATE WELL'S LO	CATION WITH 4 D	EPTH OF COMPL	ETED WELL		. ft. ELEVA	ΓΙΟΝ:		
AN "X" IN SECTION	BOX: Dept	th(s) Groundwater	Encountered1.	23	ft. 2		ft. 3.	<u>r go</u> ft.
ī	WEL	L'S STATIC WAT	ER LEVEL . 23		elow land sur	ace measured on n	no/day/yr	5-5-89 · · · · · · · · · · · · · · · · · · ·
	-v ·	Pump test	data: Well wate	rwas	ft. af	ter	hours pum	ping75 gpm
NW	- NE Est.	Yield	gpm: Well wate	r was	ft. at	ter	hours pum	ping gpm
	, , ,							to
₹ w 	I WEL	L WATER TO BE	USED AS:	5 Public water	supply	8 Air conditioning	11 In	jection well
- 1	<u>.</u>	1 Domestic						ther (Specify below)
5W	SE	2 Irrigation						
	Was	a chemical/bacteri	ological sample s	ubmitted to De	partment? Ye	sNoX	; If yes, n	no/day/yr sample was sul
S	mitte	ed			Wat	er Well Disinfected?	? Yes_	No X
TYPE OF BLANK C	ASING USED:	5 W	rought iron	8 Concre	te tile	CASING JOIN	TS: Glued	XXClamped
1 Steel	3 RMP (SR)	6 As	bestos-Cement	9 Other (specify below	')	Welded	1
2_PVC	4 ABS		perglass				Thread	ed
Blank casing diameter	12in. to	22	ft., Dia	in. to		ft., Dia	in	. to ft
Casing height above la	nd surface24	in., w	reight		Ibs./1	t. Wall thickness or	gauge No.	7.5
TYPE OF SCREEN OF	PERFORATION MA	TERIAL:		Z PVC	-	10 Asbes	stos-cemen	t
1 Steel	3 Stainless stee	el 5 Fil	oerglass	8 T ĀMĪ	P (SR)	11 Other	(specify) .	
2 Brass	4 Galvanized st	eel 6 Co	oncrete tile	9 ABS	3	12 None	used (oper	n hole)
SCREEN OR PERFOR	ATION OPENINGS A	RE:	5 Gauze	ed wrapped		8 Saw cut		11 None (open hole)
 Continuous slot 	3 Mill slo	t	6 Wire v	vrapped		9 Drilled holes		
2 Louvered shutte			7 Torch					
SCREEN-PERFORATE								
	F	rom	ft. to		ft., Fror	n	ft. to	_.
GRAVEL PAC	K INTERVALS: F	rom 20 .						
		rom				n		ft
GROUT MATERIAL:		nt 2 Cer	nent grout	3 Bentor	nite 4	Other		
			t., From	ft. t				ft. to
What is the nearest so	•							andoned water well
	4 Lateral line		7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines	5 Cess pool		8 Sewage lago	on		zer storage	16 Otn	er (specify below)
	er lines 6 Seepage p	oit	9 Feedyard			ticide storage 300		
	Northwest	THOLOGIC LOG		FROM	How mar	19 1001.	IGGING IN	TERVALS
		THOLOGIC LOG		FROM	10	1 20	dana iii	TETTVALO
0 3	Black silt	7.1		1 1				
3 11	Hard brown si		.7	1				
11 18 18 34	Medium-large	_						
	Small-medium	_		1				
34 42	Medium-large	brown grave	1					
				1				
42	Stopped							
42	Stopped			1				
42	Stopped			-				
42	Stopped							
42	Stopped							
42	Stopped							
42	Stopped							
42	Stopped							
42	Stopped							
7 CONTRACTOR'S C	OR LANDOWNER'S C							r my jurisdiction and wa
7 CONTRACTOR'S C	OR LANDOWNER'S C				and this reco	rd is true to the best		r my jurisdiction and wa wledge and belief. Kansa
7 CONTRACTOR'S Completed on (mo/day/	OR LANDOWNER'S O	3	. This Water W		and this reco	on (mo/day/yr)		
7 CONTRACTOR'S Completed on (mo/day/Water Well Contractor's under the business nar	OR LANDOWNER'S O	3 Drilling Co	. This Water W	ell Record was	and this reco s completed by (signat	on (mo/day/yr)	of my know -1-189	wledge and belief. Kansa