

USE TYPEWRITER OR BALL
POINT PEN - PRESS HARD -
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment - Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

CCA

1. Location of well: <u>Chawnee</u> County		Fraction <u>1/4 SW 1/4</u>	Section number <u>25</u>	Township number <u>10</u>	Range number <u>12</u>
2. Distance and direction from nearest town or city: <u>4 mile south and 2 miles east of St. Marys</u> Street address of well location if in city:		3. Owner of well: <u>Phil DeDonder</u> R.R. or street: <u>McCoy</u> City, state, zip code: <u>St. Marys, Ks. 66536</u>			
4. Locate with "X" in section below: Sketch map: <u>N</u>		5. Type and color of material		6. Bore hole dia. <u>32</u> in. Completion date <u>12-19-75</u> Well depth <u>43</u> ft.	
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material <u>concrete</u> Height: <u>12</u> ft. below Threading <u>Cement Asbestos</u> Surface <u>12</u> in. RMP <u>16</u> PVC <u>43</u> Weight <u>97</u> lbs./ft. Dia. <u>16</u> in. to <u>43</u> ft. depth Wall thickness <u>16</u> inches or Dia. <u>16</u> in. to <u>43</u> ft. depth gage No. <u>97/16</u>	
				10. Screen: Manufacturer's name <u>Johns on</u> <u>Casing Co.</u> Type <u>transite</u> Dia. <u>17</u> Slot/gauze <u>17</u> Length <u>26</u> Set between <u>17</u> ft. and <u>43</u> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <u>5/8</u>	
				11. Static water level: <u>14' 8"</u> ft. below land surface Date <u>12-22-75</u>	
				12. Pumping level below land surfaces: <u>29</u> ft. after <u>2</u> hrs. pumping <u>1000</u> g.p.m. <u>29</u> ft. after <u>2</u> hrs. pumping <u>2000</u> g.p.m. Estimated maximum yield <u>2000</u> g.p.m.	
				13. Water sample submitted: <u>Yes</u> <input checked="" type="checkbox"/> No Date <u>12-22-75</u>	
				14. Well head completion: <input type="checkbox"/> Pitless adapter <u>0</u> inches above grade	
				15. Well grouted? <u>yes</u> With: <u>0</u> Neat cement <u>10</u> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.	
				16. Nearest source of possible contamination: <u>none</u> ft. <u>0</u> Direction <u>0</u> Type <u>0</u> Well disinfected upon completion? <u>Yes</u> <input checked="" type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u>0</u> Model number <u>0</u> HP <u>0</u> Volts <u>0</u> Length of drop pipe <u>0</u> ft. capacity <u>0</u> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation: <u>930'</u> Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley		19. Remarks: <u>THIS WELL IS IN THE CENTER OF THE SW 1/4 OF 25-10-12.</u>		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Hobler Drilling Co.</u> <u>323</u> Business name <u>St. Marys, Ks. 66536</u> License No. <u>0</u> Address <u>0</u> Signed <u>Don Hobler</u> Date <u>12-31-75</u> Authorized representative	

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

BR = 888

$\nabla = 901$