

57

St. Marys

Pro. 2K
In. 10/11/78

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

DDC

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: County Wabaunsee		Fraction ^{SW} SW 1/4 SE 1/4 SE 1/4	Section number 18	Township number T 10 ³	Range number R 12 ^{0/W}
2. Distance and direction from nearest town or city: 2.5 SW		3. Owner of well: George Poppreiter		R.R. or street: OF ST. MARYS	
Street address of well location if in city: OF ST. MARYS		City, state, zip code: Maple Hill - 66507			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 12 in. Completion date 8-7-78 Well depth 45 ft.	
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
5. Type and color of material		From	To	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Top Soil		0	6	9. Casing: Material PVC Height: above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC 92 Weight 2.50 lbs./ft. Dia. 5 in. to 95 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 274	
Clay Brown		6	31	10. Screen: Manufacturer's name PUMPCO MPE Type PVC Dia. 5 <input checked="" type="checkbox"/> Slot gauze 1020 Length 10' Set between 35 ft. and 95 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1020x1060	
Fine Sand		31	34	11. Static water level: <input type="checkbox"/> mo./day/yr. 30 ft. below land surface Date 8-7-78	
FINE SAND - COARSE SAND, med gravel		34	45	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 40 g.p.m.	
				13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
				14. Well head completion: CAP <input type="checkbox"/> Pitless adapter 29 Inches above grade	
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 5 ft. to 15 ft.	
				16. Nearest source of possible contamination: ft. 150 Direction E Type SEPTIC Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation: 953'		19. Remarks: OWNER TO INSTAL SLAB		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Business name STRADER DRIG Co. Inc 182 License No. _____ Address RTL HOLTEN, KS Signed Dale Fisher Date 8-8-78 Authorized representative	

T
R
W
S
1/4
1/4
1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5