

127

chf loc id R

1 LOCATION OF WATER WELL

County: Wabunsee Fraction: SE SW NE Section Number: 33 Township Number: T 10 S Range Number: R 12 EW

Distance and direction from nearest town or city? 3 S St. Marys Street address of well if located within city?

2 WATER WELL OWNER: John Pappelmeier Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: RR Application Number:
 City, State, ZIP Code: Maple Hill, KS 66507

3 DEPTH OF COMPLETED WELL: 55 ft. Bore Hole Diameter: 12 in. to ... ft., and ... in. to ... ft.

Well Water to be used as:
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 12 Other (Specify below)

Well's static water level: 27 ft. below land surface measured on March month 19 day 1981 year

Pump Test Data: Well water was ... ft. after ... hours pumping ... gpm
 Est. Yield: 30 gpm: Well water was ... ft. after ... hours pumping ... gpm

4 TYPE OF BLANK CASING USED:
 PVC 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 Brass 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded

Blank casing dia: 5 in. to 35 ft., Dia: 5 in. to 45-55 ft., Dia: ... in. to ... ft.

Casing height above land surface: 24 in., weight: 2.86 lbs./ft. Wall thickness or gauge No: 12.58

TYPE OF SCREEN OR PERFORATION MATERIAL:
 PVC 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)

Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)

Screen-Perforation Dia: 5 in. to ... ft., Dia: ... in. to ... ft.

Screen-Perforated Intervals: From 35 ft. to 45 ft., From ... ft. to ... ft.

Gravel Pack Intervals: From 10 ft. to 55 ft., From ... ft. to ... ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grouted Intervals: From 0 ft. to 10 ft., From ... ft. to ... ft.

What is the nearest source of possible contamination:
 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well
 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below)
 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines

Direction from well: South How many feet: 100 ft. Water Well Disinfected? Yes No

Was a chemical/bacteriological sample submitted to Department? Yes No

If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts

Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on MARCH month 19 day 1981 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182

This Water Well Record was completed on MARCH month 20 day 1981 year under the business name of STRADER D & Co Inc by (signature) Dale Esker

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Top Soil			
2	27	Yell Clay			
27	30	Yell silt			
30	55	Yell coarse sand			

ELEVATION: 954 ft

Depth(s) Groundwater Encountered 1. 27 ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
10
R
18
DW
SEC
33
SW 1/4
SW 1/4
SE 1/4