			WATE	R WELL RECORD	Form WWC-5	KSA 82a		Donn Number		
LOCATIO	N OF WATE		Fraction			n Number		. 10		
County:	SHAWNEE	i 	SE 1/4	SE 1/4	NW 1/4 32		т 10	S R 13 E/W		
				ddress of well if locate	ed within City?					
			SSVILLE KS.							
		ER: MULVAN					Board of Ag	riculture, Division of Water Resource		
			N.W. 45TH	522	Auglian Number: 4212E					
City, State,	ZIP Code	: RUSSVI	LLE KS. 66	OMBI ETED MELL	41	# FLEVA				
AN "X" II	N SECTION	BOX:	Depth(s) Ground WELL'S STATIC Pump	water Encountered WATER LEVEL	1 16 . 16 ft. be ter was ter was	ft. low land su ft. a	2	mo/day/yr 529 - 9.7		
<u> </u>	. ¦ ¥l	i 1.	Bore Hole Diame	eter32 in. to	4.1 .		and	in. toπ		
_₹ w ⊢	- 	E		TO BE USED AS:	5 Public water	supply	8 Air conditioning	11 Injection well		
- 1	1	1	1 Domestic	3 Feedlot	6 Oil field water	er supply	9 Dewatering	12 Other (Specify below)		
-	- SW	SE	2 Irrigation	4 Industrial	7 Lawn and ga	arden only	10 Monitoring well			
] [- 1		Was a chemical/	bacteriological sample	submitted to De	partment? \	/esNoX	; If yes, mo/day/yr sample was su		
	Ş		mitted				ater Well Disinfected			
TYPE O	F BLANK C	ASING USED:		5 Wrought iron				NTS: Glued . X Clamped X		
1 Ste	el	3 RMP (9	SR)	6 Asbestos-Cemen						
2 <u>PV</u>	<u>c</u>	4 ABS		7 Fiberglass			# Dia			
Blank casir	ng diameter	16	in. to 2.	L ft., Dia	in. to		π., Dia	fo		
Casing heigh	ght above la	nd surface	12	.in., weight		, , , , , , IDS	./π. wan inickness o 10 Aebe	or gauge No		
TYPE OF	TYPE OF SCREEN OR PERFORATION MATERIAL:				7 PVC			10 Aspestos-cement		
1 Steel 3 Stainless steel			-	5 Fiberglass 8 RMP (SR)			12 None used (open hole)			
2 Brass 4 Galvanized steel				6 Concrete tile 9 ABS		8 Saw cut	11 None (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:					5 Gauzed wrapped6 Wire wrapped			, , , , ,		
	ntinuous slot	-	Mill slot		e wrapped ch cut		9 Drilled holes 10 Other (specify))		
	uvered shutte		Key punched	/ 10h	41	ft Fr	om	, ft. to		
SCREEN-F	PERFORATE	D INTERVALS	From	ft to		ft Fr	om	ft. to		
_	DAVEL DAG	CK INTERVALS		ft. to	41	ft., Fr	om	ft. to		
G	SHAVEL PAU	JK INTERVAL	From			ft., Fr	om	ft. to		
e GROUT	MATERIAL	· 1 Neat	coment	2 Cement grout	3 Bento	nite -				
Grout Inter	nyale: Fron	n ()	ft. to 20.	ft., From	ft.	to	ft., From			
What is th	e nearest so	urce of possibl	e contamination:	·		10 Live	estock pens	14 Abandoned Water Well		
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines				7 Pit privy	7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool			8 Sewage la	16 Other (enecity below)						
3 Watertight sewer lines 6 Seepage pit			9 Feedyard							
Direction from well? SOUTH					How many feet? 30 1 PLUGGING INTERVALS					
FROM	ТО		LITHOLOGIC	LOG	FROM	ТО	PL	UGGING INTERVALS		
0	11	BROWN SA	NDY SILT							
11	16		ROWN SAND &							
16	18	MEDIUM B	ROWN GRAVEL							
18	21			GRAVEL						
21	26		REY GRAVEL		_					
26	34	MEDIUM-L	ARGE GREY (GRAVEL & GREY						
		_CLAY					-			
34	41	I		GRAVEL						
	41	SHALE, S	STOPPED							
	 									
	-									
						1				
<u> </u>		L	IEDIO CEDTICIOA	TION: This water well	II was (1) constri	icted (2) re	econstructed, or (3)	plugged under my jurisdiction and v		
Γ		5 .	200 <i>7</i>			and this re	ecora is true to grey or	est of the knowledge and believe them.		
completed	on (mo/day	//year) 5=	7.7.7.7	This Wate	r Well Record w	as complete	ed on (mo/dal/yr)	.5/20-97/		
I .			٠٠٠٠٠ و ٢٠٠٠			by (sig	nature)	Holelo		
under the	business na	ame of					W STOWNS	Send top three conies to Kansas Department		