

95

Jed R

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

BBD

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County <u>Shawnee</u>	Fraction <u>SE 1/4 NW 1/4 NW 1/4</u>	Section number <u>35</u>	Township number T <u>10</u> S <u>13</u> E <u>W</u>	Range number																		
2. Distance and direction from nearest town or city: <u>1/2 N.E.</u> Street address of well location if in city: <u>Rossuville, KS</u>			3. Owner of well: <u>Roger Bush</u> R.R. or street: <u>515 Pine</u> City, state, zip code: <u>Rossuville, Kansas</u>																				
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: <u>DRAINAGE</u> <u>House</u> <u>well</u> 500' 400' <u>SEPTIC</u>			6. Bore hole dia. <u>10</u> in. Completion date <u>12-2-77</u> Well depth <u>50</u> ft.																				
5. Type and color of material			7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																				
<table border="1"> <thead> <tr> <th></th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>Top soil</u></td> <td><u>0</u></td> <td><u>4</u></td> </tr> <tr> <td><u>Clay, Brown</u></td> <td><u>4</u></td> <td><u>15</u></td> </tr> <tr> <td><u>Fine yellow sand</u></td> <td><u>15</u></td> <td><u>37</u></td> </tr> <tr> <td><u>Fine to coarse sand</u></td> <td><u>37</u></td> <td><u>42</u></td> </tr> <tr> <td><u>Shale - Limestone</u></td> <td><u>42</u></td> <td><u>50</u></td> </tr> </tbody> </table>				From	To	<u>Top soil</u>	<u>0</u>	<u>4</u>	<u>Clay, Brown</u>	<u>4</u>	<u>15</u>	<u>Fine yellow sand</u>	<u>15</u>	<u>37</u>	<u>Fine to coarse sand</u>	<u>37</u>	<u>42</u>	<u>Shale - Limestone</u>	<u>42</u>	<u>50</u>	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
	From	To																					
<u>Top soil</u>	<u>0</u>	<u>4</u>																					
<u>Clay, Brown</u>	<u>4</u>	<u>15</u>																					
<u>Fine yellow sand</u>	<u>15</u>	<u>37</u>																					
<u>Fine to coarse sand</u>	<u>37</u>	<u>42</u>																					
<u>Shale - Limestone</u>	<u>42</u>	<u>50</u>																					
			9. Casing: Material <u>PVC</u> Height: Above or below <u>none</u> Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <u>24</u> in. RMP <input type="checkbox"/> PVC <u>GLUE</u> Weight <u>2.74</u> lbs./ft. Dia. <u>5</u> in. to <u>50</u> ft. depth Wall Thickness: inches or Dia. <u>5</u> in. to <u>50</u> ft. depth gage No. <u>258</u>																				
			10. Screen: Manufacturer's name <u>MPE</u> <u>Pumpco</u> Type <u>PVC</u> Dia. <u>5</u> Slot/gauze <u>.020</u> Length <u>10</u> Set between <u>37</u> ft. and <u>42</u> ft. ft. and <u>42</u> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <u>10/20x10/60</u>																				
			11. Static water level: <u>26</u> ft. below land surface Date <u>12-2-77</u> mo./day/yr.																				
			12. Pumping level below land surfaces: ft. after <u> </u> hrs. pumping <u> </u> g.p.m. ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>10</u> g.p.m.																				
			13. Water sample submitted: <u> </u> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <u> </u>																				
			14. Well head completion: <u>capped</u> <input type="checkbox"/> Pitless adapter <u>24</u> inches above grade																				
			15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.																				
			16. Nearest source of possible contamination: ft. <u> </u> Direction <u> </u> Type <u> </u> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																				
			17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u> </u> Model number <u> </u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u> </u> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																				
18. Elevation: <u>928</u> ^M Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley			19. Remarks: <u>OWNER TO INSTAL SLAB</u>																				
			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>STADER DRG CO INC</u> <u>182</u> Business name License No. Address <u>RT 1 Holton, KS</u> Signed <u>Dale Gaskin</u> Date <u>12-5-77</u> Authorized representative																				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5