WATER WELL	L RECORD	Form W	WC-5	Division of Wat	er Resources App. No	o	
	F WATER WELL:		بس	Section Number	Township No.	Range Number	
County:	AWNCE COUNTY	15 1 1/4 /V W 1/4 5 W	0 1: 1/4		T 10 8	R 14 DE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
From Club La	whor intersection: If at	owner's address, chec	Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
7,000 3,000	C Will Have	- DA FACE					
60 MW/3 51	5 miles House	(0~2/3/		84, NAD 83,			
2 WATER WELL OWNER: DAN & COMNIG FISCHER				Collection Method:			
RR#, Street Address, Box #: 8/28 N.W. Docks				GPS unit (Make/Model:)			
City, State, ZII	P Code : Silve	Make, KS	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
WITH AN "X"	IN 4 DEPTH OF	COMPLETED WEI	ı 28	ft			
SECTION BOX	Depth(s) Groundwater Encountered (1) \(\frac{1}{2} \) ft. (2) ft. (3)						
N	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
Pump test data: Well water wasft. after hours pumping gpm							
NIW NE EST. YIELD 55gpm. Well water wasft. after							
W E Bore Hole Diameter							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Other (Specify below)							
	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department?							
S		o/day/yr sample was su					
1 mile Water well disinfected? ✓ Yes ☐ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING IOINTS: De Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
1 TYPE OF SCREEN OR PERFORATION MATERIAL;							
Steel Stainless Steel Drvc 191000 Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot							
Continuous stot Mini stot Gauze wrapped Torch cut Drilled notes None (open note)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 2.0 ft. to 2.8 ft., From ft. to							
From							
From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer line			Fuel storag		d water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Distance from well ☐ 5.0.							
FROM TO	LITHOLO		FROM			GGING INTERVALS	
\sim 1	T. 1 C/	dic Lod	FROM	10 LITHOLL	OG (cont.) of PLU	GOING INTERVALS	
1 10	100 2010		+				
12 12	brown cay	Trour (· · · · · · · · · · · · · · · · · · ·		
10 1000	Sandy CLOY	(WOTI)	++				
 /8 /8 	COURSE SARY	(VIVI)	+				
			 				
			 				
			 				
			 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was Proportingted or plugged							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No							
under the business name of It a Lating Will William by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
Intp.//www.kuneks.gov	, water well/illidex.illilli.						