				ER WELL RECO	RD Form W		KSA 82a-1		In the Nitron		Dange Miss	har
	ON OF WATE		Fraction	NIE:	14/14		tion Number		hip Numbe		Range Num	
County:		orne	SW 1/4	NE 1/4	NW 5		17	T	10	S R	15	W E
distance an	a airection tro	m nearest	town or city street ad		Im Street,		a. KS					
MATER	VVCI I OVVVIC	p. Flde	on Luhman	11 101 01 11								
			Mission Ridge	Ant 5				Board of	f Aaricultur	e, Division o	f Water Re	sources
			by, KS 67701	Αρτ. σ					ion Numbe		i water ite.	30droc3
ILOCATE	WELL'S LOC	CATON W	ITH!.!								***************************************	**********
3 AN "X" II	N SECTION B	BOX:	DEPTH OF C	COMPLETED V	VELL	28	ft. ELE	VATION:				
			Depth(s) Ground	dwater Encount	ered11.5		f	t. 2		ft. 3		Ft.
	N		WELL'S STATIC	WATER LEVE	EL.	ft.	below land	surface meas	sured on me	o/day/yr	06/30/	10
A [ermanyasansaya ns		p test data: V								Gpm
	Χ	į	Est. Yield									
	V^^	NE	Bore Hole Diamo	eter 8.625	In to	28	3	ft. and		in, to		Ft.
Mile M	Į.		Bore Hole Diame WELL WATER T 1 Domestic	TO BE USED A	S: 5 Public	water s	upply	8 Air co	onditioning	11 Inje	ction well	
~ ~	I.	i I	1 Domestic	c 3 Feed lot	6 Oil fiel	d water	supply	9 Dewa	atering	12 Oth	er (Specify	below)
	sw		2 Irrigation		l 7 Lawn	and gard	den (domesti	c) 10 Mor	nitoring well		AS-1	
	300	ا	Was a chemical/	/bacteriological	sample subm	itted to I						le was
*		i Marks address and services	Submitted				Wa	ater Well Disi	infected?	/es	No X	
TYPE O	F BLANK SAS	SING USE	D:	5 Wrought	Iron 8	Concr	ete tile	CASING	G JOINTS:	Glued	Clamp	ed
1 Ste	el	3 RM	MP (SR)	6 Asbestos	s-Cement 9	Other	(specify belo	ow)		Welded		
2 PV	С	4 AE	, ,	7 Fiberglas	SS					Threaded	Х	
MANUAL PLANTS		account.		Ft .								
lank casin	g diameter	2	in. to 25	D ia		In.	to	ft., Dia		in. to		ft.
asing heig	ht above land	surface	FLUSH	In., weight	SCH	40	Lbs./ft	. Wall thickn	ness or gau	ge No.		
			TION MATERIAL:			7	PVC	10) Asbestos	-cement		
1 Ste	el	3 St	ainless steel	5 Fiberglas	SS	8.	RMP (SR)	11	Other (sp	ecify)		
2 Bra			alvanized steel	6 Concrete	e tile	9	ABS	12 8 Saw ci 9 Drilled	! None use	ed (open hol	e)	
CREEN O	R PERFORA	TION OPE	NINGS ARE:	and the same of th	5 Gauzed w			8 Saw ci	ut	11 1	Vone (open	hole)
1 Co	ntinuous slot		3 Mill slot	A CALL SECTION OF THE PARTY OF	6 Wire wrap							
2 Lot	uvered shutte	r	4 Key punched		7 Torch cut			10 Other	(specify)			
CREEN-P	ERFORATED	INTERVA		25 ft.								
			From	ft.	to		ft.	From		ft. to		Ft.
SAf	ND PACK INT	ERVALS:	From	17 ft.	to	28	ft.	From		ft. to		Ft.
			From	ft.	to	- vermenter it.	ft.	From				
GROUT	MATERIAL:	1 N	eat cement 2	Cement grout	t	3 Ber	ntonite	4 Other				
		4	ft. to 17 ble contamination:	Ft.		Ft.						
3rout Interv	als From3		ft. to 1/	From3		to		ft. F				
										14 Abandon		eli
			4 Lateral lines					age 15 Oil well/ Gas w		-	NAME OF THE OWNER, NAME OF THE O	
2 Se	wer lines		5 Cess pool	8 Sewage lagoon			12. Fertilizer storage			16 Other (specify below)		
	tertight sewer	r lines	6 Seepage pit					3 Insecticide storage Contaminate				Site
Direction fro	m well?						How many	y feet?				
FROM	TO .	CODE		LOGIC LOG		FROM	ТО		PLUGG	ING INTER	VALS	
0	6		SILT									
6	19		FILL Sand									
19	28	ļ	Silty CLAY	1-								
28	TD	ļ	End of Boreho	16								
		1										-
	 	<u> </u>										

		1										
		+										
		 	<u> </u>			******						

		,										
			NER'S CERTIFICAT									
Completed	on (mo/day/y	r)	06/3	30/10								
Vater Well	Contractor's	License No	O	585		This \	Water Well F	Record was c	ompleted c	n (mo/day/y	r) 07/2	28/10
inder the b	usiness name	e of	Associa	ted Enviro	nmental.	lnc.		By (signature	e) Brad	املہالہ ley	hnson	
INSTR	UCTIONS:. PI	ease fill in l	olanks and circle the cor	rrect answers. S	end three copie	es to Kan	sas Departme	ent of Health a	ind Engironn	nea Bureau	of Water, To	peka,
Kansa	s 66620-0001.	Telephone	: 913-296-5545. Send	one to WATER	WELL OWNER	Rand reta	ain one for you	ır records.`	1200	TGN/19	mos	