281 Gran	WATE	ER WELL RECORD	5A Form WWC-5 KSA 8	2a-1212	600	dell vil	/
1 LOCATION OF WATER WE	LL Fraction	NW	Section Number	er Township		Range Number	- O
County: Shawnee	SE 1/4	SE 1/4 NW	½ 33 <u> </u>	T	10 (3)	R 15∕ €	
Distance and direction from ne	earest town or city? 1.5	IMONT	Street address of well				
2 WATER WELL OWNER:	Robert Charb	ONNEAU	REA				
RR#, St. Address, Box #	ann West Lynn	and LOT#3	La Caralle A	Board of	Agriculture, Di	vision of Water Reso	ources
City, State, ZIP Code	TopekA	Ks 4	66618	Application			
3 DEPTH OF COMPLETED	WELL 220 ft F	Bore Hole Diameter				in. to	ft
Well Water to be used as:	5 Public water		8 Air conditioning		Injection well		
1 Domestic 3 Feedlot 6 Oil field water				12 Other (Specify below)			
2 Irrigation 4 Industrial		• • •	10 Observation well				
Well's static water level				month 29	da	1980	. vear
		ft. after .	V				-
l = . i =	pm: Well water was			hours pumping			gpm
4 TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concrete tile	Casing	Joints: Glued	Clamped	
	Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below				
2 PVC 4		7 Fiberglass				ed	
Blank casing dia 5			in. to 18.0-			in. to <u>.</u>	ft.
Casing height above land surf							
TYPE OF SCREEN OR PERF		-	7 PVC		sbestos-cemen		
1 Steel 3			5 Fiberglass 8 RMP (SR)		11 Other (specify)		
2 Brass 4	Galvanized steel	6 Concrete tile	9 ABS	12 N	one used (oper	n hole)	
Screen or Perforation Opening	s Are:	5 Gauze	ed wrapped	8 Saw cut		11 None (open hole	<u>)</u>
1 Continuous slot	3 Mill slot	6 Wire v	vrapped	9 Drilled holes	5		
2 Louvered shutter	4 Key punched	7 Torch	cut	10 Other (spec	ify)		
Screen-Perforation Dia		ft., Dia	in. to	ft., Dia .		. in to	ft.
Screen-Perforated Intervals:	From	ft. to!B.C.	⊇ ft., From .		ft. to		ft.
	From	ft. to	ft., From .	, , , , , , , , , , , , , , , , , , , ,	ft. to		ft.
Gravel Pack Intervals:		ft. to 7.2.0.			ft. to		ft.
	From .	ft. to	ft., From		ft. to		ft.
5 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grouted Intervals: From	. O ft. to 10	ft., From	ft. to	ft., Fron	ı	ft. to	ft.
What is the nearest source of	possible contamination:		10 Fue	el storage	14 Aba	indoned water well	
1_Septic tank	4 Cess pool	7 Sewage lago	on 11 Fei	1 Fertilizer storage 15 Oil well/Gas well			
2 Sewer lines	5 Seepage pit			nsecticide storage 16 Other (specify		er (specify below)	ľ
3 Lateral lines	6 Pit privy	9 Livestock per	ns 13 Wa	tertight sewer lines	s		
Direction from well	. // Hov	v many feet	Wat	er Well Disinfected	? Yes.	No	
Was a chemical/bacteriologica	sample submitted to De	partment? Yes		No		: If yes, date sa	ample
was submitted		day	year: Pump Insta	lled? Yes	. N	o 4	
If Yes: Pump Manufacturer's r	name		Model No			Volts	
Depth of Pump Intake		ft.	Pumps Capacity rated	at	.	gal	ıl./min.
Type of pump:	Submersible 2	2 Turbine	3 Jet 4 Ce	ntrifugal 5	Reciprocating	6 Other	
6 CONTRACTOR'S OR LAN				,		• •	
completed on . M. A. 4		month 2 .9	day .	1980			year.
and this record is true to the t	pest of my knowledge and	d belief. Kansas Water W	Vell Contractor's License	No		2	
This Water Well Record was o	completed on //.). A .	<i>1</i> m	nonth 3 . 0	day /9.8	0	year under the bu	ısiness
name of STRAGER	DAIG CO.		by (signature)	le ass	gram		
7 LOCATE WELL'S LOCATION	ON FROM TO	LITHOLOG	IC LOG FR	ом то		HOLOGIC LOG	
WITH AN "X" IN SECTIO		Limestone, 100:		2/3 220	SANdy	shale	
	3 20	Shale yellow	, .		L.,		
N	20 150	SANdy shale,					
	15C 160	SANDSTONE					
NW NE	160 164	LIMESTONE 91	'e y				
E W	164 187	JANdy shale	u l				
	187 191	LIMESTONE 91	rey		,	4/19/19/19/19/19/19/19/19/19/19/19/19/19/	
SW SE	191 197	Sandy shale	3				
<u>†</u> <u> </u>	197 201	LIMESTONE 9	rey				
1 Mile	201 210	SANdy Shale	V				
ELEVATION: 1022 PM		Limestone 91	ey				
Depth(s) Groundwater Encour		2 ft. 3	J 4 4 4	(Lleo	a second shee	A :6 manulaul\	
	<u>πered 1π.</u>	<u>2</u>	<u> π. 4</u> π.	(036			
INSTRUCTIONS: Use typewrit copies to Kansas Department of	er or ball point pen. pleas	e press firmly and PRINT	clearly. Please fill in bla	nks, underline or ci	rcle the correct	answers. Send top	three