WATE	R WELI	RECORD	Form WW	/C-5	Division of Wate	r Resources; App. No.		
		OF WATER WELL:	Fraction		Section Number		Range Number	
	nty: Rooks			NW 1/4	14	T 10 S	R 16 E	
	ance and di	rection from nearest town of	or city street address of	t well if		Systems (decimal degr		
3 m	L. West	1/2 mi. South of	Natoma off K-18	B Hwy.	Latitude:			
		L OWNER: Jeff Elli			Elevation:			
		ess, Box # : 923 260t	Ave.		Datum:			
	, State, ZII		67601		Data Collection I	Method:		
3 LOC	CATE WE	LL'S 4 DEPTH OF CO	OMPLETED WELL		67 ft.	vicinoa.		
LOC	CATION							
WITH AN "X" IN Depth(s) Groundwater Encountered (1)								
SEC	SECTION BOX: WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	×	WELLWATER	gpm: Well water was					
WELL WATER TO BE USED AS: 5 Public water supply WELL WATER TO BE USED AS: 5 Public water supply Note: The second transfer of the second								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
- SW - J - SF - J								
was a chemical/bacteriological sample submitted to Department? Yes Noxx; If yes, mo/day/yrs								
Sample was submitted								
	S							
5 TYP	E OF CAS	ING USED: 5 Wrou	ght Iron 8 C	oncrete tile	CASINO	G JOINTS: Glued.**	Clamped	
ער <u>ו</u>	Steel	3 RMP (SR) 6 Asbes	stos-Cement 9 O	ther (specify	below)	Welded	•••••	
Blank c	г v С asino diam	eter 5 in to 47	giass 7 ft Diameter	• • • • • • • • • • • • • • • • • • • •	in to ft	Diameter	in to ft	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded. **Performance of the property of the pro								
TYPE (OF SCREE	N OR PERFORATION MA	ATERIAL:			o- gg. 1 (o)		
1 Steel 3 Stainless Steel 5 Fiberglass XV PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot								
1 Continuous slot Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GRO	UT MAT	ERIAL: 1 Neat cement	2 Cement grout xx	Bentonite	4 Other			
	ntervals:	From25 ft. to			ft. to ft	., From	ft. toft.	
What is	the neares	source of possible contam	ination:					
1 Septic tank 4 Lateral lines 7 Pit privy xx0 Livestock pens 13 Insecticide Storage 16 Other (specify								
	Sewer line		8 Sewage lagoon		C .	andoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well?								
FROM	TO	LITHOLO		FROM		PLUGGING INTI		
0	3	Topsoil	GIC EGG	TROIV	10	TEOGOINO INTI	LICVALS	
3	16	Brown clay						
16	22	Light brown clay						
22	28	Fine Sand						
28	34	Lt. brn. clay w/li	imestone					
34	41	Md. sand						
41	53	Med. brn. clay w/1		е				
53	6 <u>1</u> 67	Med. sand and grav	vel					
61	- 67	Blue clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (2) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 10/.10/.08 and this record is true to the best of my knowledge and belief.								
Kansas	Water Wel	l Contractor's License No.	767 This Wa	iter Well Re	cord was completed	on (mo/day/wear) 10	/14/08	
under th	e business	name of Mid Kansas Wa	ater Well Servi	ce. LLCb	y (signature) K	untilet 7	/	
INSTRU	CTIONS: U	se typewriter or ball point pen. <u>H</u> Department of Health and Enviro	PLEASE PRESS FIRMLY at	nd <u>PRINT</u> clea	rly. Please fill in blanks	, underline or circle the co	frect answers. Send top	
785-296-5	5522. Sen	Department of Health and Environal Control one to WATER WELL C	DWNER and retain one	for your r	, 1000 SW Jacksoft St., Secords. Fee of \$5.0	ouite 420, Topeka, Kansas ()0 for each constructed	66612-1367. Telephone well. Visit us at	
http://www.kdhe.state.ks.us/geo/waterwells.								