

WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOC ID 1811349 WELL ID MW7

✓ Original Record ☐ Correction ☐ Change in Well Use

LOCATION OF WATER WELL

Latitude	39.2153	Longitude	-95.31599	Section	5	Township	10	Range	19	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Fraction	NE ¼ NW ¼ NE ¼
Datum	WGS84	Elevation	1090	County	Jefferson							

WATER WELL OWNER

Name	
Business	KDHE
Address	1000 SW Jackson Topeka KS 66612
Well location	~115' W of 409 Jefferson St, Oskaloosa, KS
<input type="checkbox"/> at owner's address	

WELL WATER USE

Environmental Remediation / Monitoring M

COMPLETION

Depth of completed well: 13.5 ft.

Depth(s) groundwater encountered:

(1) _____ ft.; (2) _____ ft.;
(3) _____ ft.; (4) ☐ dry well

Static water level in well: 4.15 ft.

✓ measured below land surface
on (mm/dd/yy): 11/06/2024☐ measured above land surface
on (mm/dd/yy): _____

Estimated yield: _____ gpm

Water level was: _____ ft. after _____ hours
pumping _____ gpmPump installed? ☐ Yes ✓ NoWater well disinfected? ☐ Yes ☐ No

Date disinfected (mm/dd/yy): _____

Aquifer, if known: _____

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

☐ No potential source of contamination
within 100 feet.

CONSTRUCTION

Borehole interval: from 0 to 13.5 ft.	Borehole diameter: 7.25 in.
from _____ to _____ ft.	_____ in.

Casing height above land surface: -4.56 in.

If casing height is less than 12 in.
has a variance been approved?* ✓ Yes ☐ No*variance not required for monitoring
or environmental remediation wells

Casing type: ThermalPlastic

Blank casing interval: 0 ft. to 3.5 ft.

Blank casing diameter: 2 in.

Casing joints: Threaded

Weight: _____ lbs/ft.

Wall thickness or gauge no.: 0.154"

Blank casing interval: _____ ft. to _____ ft.

Blank casing diameter: _____ in.

Casing joints: _____

Weight: _____ lbs/ft.

Wall thickness or gauge no.: _____

Grout interval: 1 ft. to 3 ft.

Grout material: Bentonite

Grout interval: 0 ft. to 1 ft.

Grout material: Cement

Screen / perforation material: PVC

Screen / perforation openings: Mill slot

Screen / perforation intervals:

From 3.5 ft. to 13.5 ft.

Slot size _____ unit _____

From _____ ft. to _____ ft.

Slot size _____ unit _____

Gravel pack intervals:

Gravel pack not used: ☐ Gravel size _____ in

From 3 ft. to 13.5 ft.

Gravel pack not used: ☐ Gravel size _____ in

From _____ ft. to _____ ft.

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS
0	.5	gravel, fine to coarse
.5	10	clay, silty
10	11	clay, shaley
11	13	shale, unknown, clayey
13	13.5	shale, unknown

COMMENTS

When this well is to be plugged, the KDHE Water Well Program will be contacted in advance to determine an appropriate and protective procedure.

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed ✓ reconstructed ☐ pursuant to the stated water well contractor's license and was completed on 10/16/2024. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on 02/05/2025 under the business name of Larsen And Associates, Kansas Water Well Contractor's License No. 757 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Donald Beemer.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c