

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: <u>JEFFERSON</u>		NW 1/4 NW 1/4 SW 1/4		20		T 10 S		R 19 E/W	
Distance and direction from nearest town or city street address of well if located within city? 3 south, 3/4 west of Oskaloosa									
2 WATER WELL OWNER: Clifford Dick									
RR#, St. Address, Box #: 326 K					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code: Perry, KS 66073					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 100' ft. ELEVATION:					
				Depth(s) Groundwater Encountered 1. 10' ft. 2. ft. 3. ft.					
				WELL'S STATIC WATER LEVEL .7' ft. below land surface measured on mo/day/yr 8-09-94					
				Pump test data: Well water was ft. after hours pumping gpm					
				Est. Yield 15 gpm Well water was ft. after hours pumping gpm					
Bore Hole Diameter 8 3/4 in. to ft., and in. to ft.				WELL WATER TO BE USED AS:					
				5 Public water supply		8 Air conditioning		11 Injection well	
1 Domestic				3 Feedlot		6 Oil field water supply		9 Dewatering	
2 Irrigation				4 Industrial		7 Lawn and garden only		10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes <u>X</u> No									
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued <u>X</u> Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded	
				7 Fiberglass				Threaded	
Blank casing diameter 5" in. to 0-10 ft., Dia 5" in. to 20-99 ft., Dia in. to ft.									
Casing height above land surface 24" in., weight 2.82 lbs./ft. Wall thickness or gauge No. 258									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 Other (specify)	
						9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS:									
From 99		ft. to 100		ft. to		ft. to		ft. to	
From 10		ft. to 20		ft. to		ft. to		ft. to	
GRAVEL PACK INTERVALS:									
From 8		ft. to 100		ft. to		ft. to		ft. to	
From		ft. to		ft. to		ft. to		ft. to	
6 GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other			
Grout Intervals: From 0 ft. to 8 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
						13 Insecticide storage			
Direction from well? SE				How many feet? 550'					
FROM		TO		LITHOLOGIC LOG		FROM		TO	
0		9		Clay-Brown		61		67	
9		10		Cherty Gravel		67		100	
10		13		Shale-Yellow					
13		15		Shale-Grey					
15		16		Limestone-Grey					
16		22		Shale-Grey					
22		24		Limestone-Grey					
24		37		Shale-Grey					
37		39		Limestone-Grey					
39		41		Shale-Grey					
41		50		Limestone-Grey					
50		52		Shale-Grey					
52		53		Shale-Black					
53		55		Limestone-Grey					
55		61		Shale-Grey					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-09-94 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 182				This Water Well Record was completed on (mo/day/yr) 8-23-94					
under the business name of STRADER DRILLING CO., INC.				by (signature) Dale Strader					