

1 LOCATION OF WATER WELL: County: <u>Clay</u>	Fraction <u>SW 1/4 SE 1/4 SE 1/4</u>	Section Number <u>20</u>	Township Number <u>T 10 S</u>	Range Number <u>R 2 E/A</u>
--	---	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?
6 miles East of Longford, Ks & 1 mile South & 1/4 West at 861 3rd Rd

2 WATER WELL OWNER: Curtis Steenbock
 RR#, St. Address, Box # : 881 3rd Rd
 City, State, ZIP Code : Longford, Kansas 67458
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

	4 DEPTH OF COMPLETED WELL <u>93</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1 <u>82</u> ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL <u>5.9</u> ft. below land surface measured on mo/day/yr <u>7 / 8 / 0.3</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>15.5</u> gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No *; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes * No
--	---

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)
		7 Fiberglass	

CASING JOINTS: Glued * Clamped
 Welded
 Threaded

Blank casing diameter 5 in. to 9.3 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 15 in., weight 2.00 lbs./ft. Wall thickness or guage No. 25.0

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless Steel	5 Fiberglass	7 PVC	10 Asbestos-Cement
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)	11 Other (Specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From 7.3 ft. to 9.3 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 2.4 ft. to 9.3 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 3 1/2 ft. to 24 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? EAST APPROX How many feet? 500

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	DARK TOP SOIL	92	93	HARD DARK SHALE
2	10	BROWN CLAY			
10	20	TAN CLAY			
20	26	LITE COLOR YELLOW CLAY			
26	28	LITE GRAY SHALEY CLAY			
28	48	LITE COLOR TAN CLAY SHALE			
48	59	LITE GRAY & LITE COLOR MIXED CLAY			
59	60	GRAY CLAY			
60	65	MAROON SHALE & CLAY			
65	74	GRAY CLAY			
74	79	RED CLAY			
79	82	GRAY CLAY			
82	88	SOFT LOOSE SHALE			
88	92	SOFT GRAY CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7 / 8 / 03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 397 This Water Well Record was completed on (mo/day/yr) 7 / 15 / 03 under the business name of CENTRAL KANSAS DRILLING by (signature) Yard A. Martin