USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

	DCC				Topeka, Kansas 66620			
	County	Fraction		Section	number	10		
1. Location of well:	Leavenworth	SW 1/4 SW 1/4 S	E1/4	/	19	т 10 s	R 22 €W	
2. Distance and dire	ection from nearest town or city:		3. Owr			Raymond Wright		
Street address of well location if in city:  1 mile north, 4 miles R.R. or s west of Basehork Ks. City, sta					street: Route 3 tote, zip code: Tonganoxie, Kansas			
4. Locate with "X" in section below: Sketch map:					code: T(	6. Bore hole dig. 8 in. Completion date 5-1-7		5
4. Locate with "X"		skeren map:				Well depth 120 ft.	Comprehensive 22	
ī [						7 Cable tool X Rotary		
NW	NE						Bored Reverse rotary	
₩						8. Use: X Domestic Pu	blic supply Industry r conditioning Stock	
						Lawn Oi	l field water Other	
sw se   x						9. Casing: Material PLe	_ Height: Above or below	
<u> </u>	<u></u>					Threaded Welded RMP PVC		
1 <del></del> 1 M						Dia. 5 in. to 120 ft. dept	h Wall Thickness: inches or	
5. Type and color of	f material			From	То	Dia in. to ft. dept		
0	0 .7 (7 .7				_	Screen: Manufacturer's n Vinvlplex	Inc.	
Sandy Top Soil (Yellow)				10	1	1 .	. \/ ***	
Clay (Yellow)			1	8	Set between 30	ft. andft.		
Sandstone (Yellow)			8	20	Cemented in ft. of Gravel pack XXXXX Size ran			
Salas collo (-CIION)				<u> </u>		11. Static water level:	mo./day/yr.	
Shale (Bl	ue)			20	30	ft. below land sur		
Sandstone	(Yellow)			30	50	12. Pumping level below land		
Sandstone (Gray)			Ho	77		rs. pumpingg.p.m.		
Lime (White)					Estimated maximum yield	g.p.m.		
Lime (white)			71	95	13. Water sample submitted:YesXNo	mo./day/yr. Date		
Slate (Black)				95	99	14. Well head completion:	odie	
			99	103	X Pitless adapter	18_ Inches above grade		
	Lime (White)			1		15. Well grouted? Yes	Bentonite Concrete	
Shale (Blue)				103	120	Depth: From ft. to .	2 3 ft.	ار
						16. Negrest source of possible	contamination: Orth Type Lateral	1/
						ft Direction Need disinfected upon comple		1
				<del>                                     </del>		17. Pump:	Not installed	" Ŋ
						Manufacturer's name Ja Model number 554B	cuzzi HP 1/2 Volt 220	19
						Length of drop pipe	ft. capacityg.p.m.	€
						Type: X Submersible	TLi	
						Jet	Turbine Reciprocating	-
·	(Use a second s	sheet if needed)		1		Centrifugal	Other	۲ پ
18. Elevation:	19. Remarks:					20. Water well contractor's of This well was drilled under my		L
930						is true to the best of my know	' ' I	ا ر ہے
Topography: Κηλ						BREUER, INC.	174 License No.	7 4
Slope					+	Business name Address Address	asebor Ks	) ا کر
Upland						Signed Signed	Date 6600	<Ι
Valley	<u> </u>					1 1/ Pillerized Pop	5/1/	D
Forward the white, bl	ue and pink copies to the Department	of Health and Environment				ľ	Form WWQ-5 / '	