WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Taneka, Kansas 66620

					Topeka, Kansas 00020
County		Fraction	Section	number	Township number Range number
1. Location of well: Leque.	HWORth	NE1/4 NEJ/4 SUR/4	3	0	T 10 S R 22 DW
Distance and direction from nearest	town or city: 3	Miles West 3.0	ner of wel	I: /	R. Fisher
Street address of well location if in city	ry: of		or street: state, zip	anda.	K.3 Tonggnorie Kyn. 46086
4. Locate with "X" in section below:		ketch map:	sidie, zip		6/Rero halo dia Campletion date
4. Locate with "X" in section below: Skerch map:					Well depth / 62 6 ft. 0 - 20 - 76
					7 Cable tool Rotary Driven Dug
NW NE	5				Hollow rod Jetted Bored Reverse rotary
W E	1 30000	201			8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock
- - SW - SE - S		Ales por no	G. A	n	Lawn Oil field water Other 9. Casing: Material Height: Above or below
; ;	17				9. Casing: Material Height: Above or below Threaded Welded ISurface 1 2 in.
S					RMPPVCWeight 1.75_lbs./ft.
1 Mile → 1				Dia in. toOft. depth Wall Thickness: inches or	
5. Type and color of material				1 2	Dia in. to ft. depth gage No 10. Screen: Manufacturer's name
silt (grey)				#7	Robin Tech.
sandstone (brown)			17	67	Type
lime (lt.grey)			67	72	Set between 70-100 ft. and 100 ft.
shale (dk.grey) lime (grey)			82	88	Gravel pack? Size range of material 1/8
			88	96	11. Static water level: mo./day/yr.
shale (dark)				100	35 ft. below land surface Date 9-20-26
-					12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.
					ft. after hrs. pumping g.p.m.
All was about the large spine and					Estimated maximum yield
casing Drilled and Sloted 70'to 100° perforation size: 3/32					13. Water sample submitted: mo./day/yr. Yes
per oracion	Size: 3/ J)			14. Well head completion: Well cap
					Pitless adapter 12 Inches above grade
					15. Well grouted?
				-	Depth: From ft. to ft.
					16. Nearest source of possible contamination:
					ft DirectionType Well disinfected upon completion? Yes No
* dwilled. to	ho mand	in future moore	-		17. Pump: * <u>Z</u> Not installed
*well drilled; to	, be used	THE PROOFE NESTE	?		Manufacturer's name HP Volts
					Length of drop pipeft. capacityg.p.m.
					Type:
				 	Submersible Turbine Reciprocating
	(Use a second she				Centrifugal Other
18. Elevation: 19. Remarks: Customer is aware of State regulation and agrees to install a 4' sq-					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
				J	is true to the best of my knowledge and belief.
uare re-enforced concrete platform a-				L.M. Young Orilling Co. 240	
Hill Slope	~ ₇ ()	E Tilund	1		Business name Address 6355 Robinhood In.
Upland	- - /	- Turico	<u> </u>	tragitation regions are considered	Signed FE yours Date -27-74
Valley		1/			Authorized representative