

57

# WATER WELL RECORD

## DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
0	12	Top Soil
12	22	Soft Clay
22	30	Sandy Shale
30	40	Sandy Clay
40	43	Sand & Gravel
43	48	Lime
48	53	Shale
53	60	Lime
60	T.D.	

Well Owner Mr. Harold Wiley  
 Address Baschor, Ks.  
 Drilling Contractor Breuer Drilling Co.  
Baschor, Ks.  
 Date Drilled 7-1-71  
 Method of Drilling Cable Tool  
 (Cable tool, rotary, reverse rotary, etc.)  
 Casing Schedule 6 ft. 6 in. steel  
 (Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)

Screen Data (if any): \_\_\_\_\_  
 (Length, Diameter, Slot Size, Setting)

Measured depth to water on completed well (Static Level) is  
33 ft. below land surface  
 (Land Surface, Top of Casing, Etc.)


TESTED YIELD: 2½ gallons per min  
 (Min., Hour)  
 as determined by bailing  
 (Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hrs  
 pumping at \_\_\_\_\_ gal. per minute.

REMARKS: Baschor Quak

COAS

LOCATION OF WELL Topographic Sheet Baschor  
 [Show location in Section Plat] Elev. 946-  
NE \_\_\_\_\_  
W ¼ \_\_\_\_\_ S ¼ \_\_\_\_\_ Sec. 25  
 T. 15 S., R. 22 E.  
 County Rowlett  
BR = 877



"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."