

ck 53

# WATER WELL RECORD

## DRILLERS LOG OF WELL

| FROM (FT.)    | TO (FT.) | KIND OF MATERIAL, COLOR, ETC.<br>(NOTE WATER ZONES, AMOUNT, QUALITY) |
|---------------|----------|--|
| 0             | 18       | Clay   |
| 18            | 22       | Sand and gravel  |
| 22            | 40       | Sandstone <span style="float: right;">EP = 950<br/>BK 908</span>     |
| 40            | 60       | Blue Mud   |
| 60            |          | Lime   |
| Well number 2 |          |  |
| 0             | 3        | Top Soil <span style="float: right;">EP = 973</span>                 |
| 3             | 18       | Clay <span style="float: right;">950</span>                          |
| 18            | 30       | Sandy Clay   |
| 30            | 38       | Sand and gravel  |
| 38            | 80       | Sandstone TD   |

Well Owner Meyer Dairy

Address Basehor, Kansas

Drilling Contractor BREUER DRILLING COMPANY

Date Drilled SEPT 11 - 1956

Method of Drilling Casing tools

Casing: \_\_\_\_\_  
(New, Used—Steel, Galv.—Gage or Weight)

Casing Schedule: \_\_\_\_\_  
(Amount, Size, Setting)

Screen Data (if any): \_\_\_\_\_

### ON COMPLETED WELL

Measured depth to water (Static Level) is \_\_\_\_\_

below land surface  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: 2 gallons per min.  
(Min., Hour)

as determined by \_\_\_\_\_  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hr

pumping at \_\_\_\_\_ gal. per minute.

**REMARKS:**


Well number 1 .. 2 gallons per minute. No pumper casing installed.

Well number 2 .. 6 gallons per minute. Installed 38 feet of 6 3/4 steel pipe Good well.

Basehor

**LOCATION OF WELL**

[Show location in Section Plat] 973 Elev. ± 953 (± 977)



NW 36  
 SE 36 % NE % Sec. 36

T. 10 S., R. 22

County Leaw

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."