WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction NW ¼ NW ¼ N	E ¼ ¼		on Number 24	Township No. T 10 S		
County: Leavenworth								
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude: .39.10.18.3"			
3 Miles East of Basehor				Eleva	Latitude: .39,10,18.3" (in decimal degrees) Longitude: 94, 54, 29.6" (in decimal degrees) Elevation:			
2 WATER WELL OWNER: Fouts and Son Farms					n: [] WGS 84 ction Method:	i, ∐ NAD 83, ½	J NAD 27	
RR#, Street Address, Box #: 21509 147th St.				Z	GPS unit (Make/Model: Hand Unit			
City, State, ZIP Code	r, KS 66007-5128			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 160 ft.								
SECTION BOX: De	epth(s) Groundy	water Encountered	(1).123	ft.	(2)	ft.	(3) ft. lay/yr	
	Pump test data: Well water wasft. after							
EST. YIELD.12gpm. Well water was							nping gpm	
W E Bore Hole Diameter !V-9in. toft., andin. toft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped W Welded Threaded								
Casing diameter 8.75 in. to								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 125								
From								
GRAVEL PACK INTERVALS: From125								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From .0								
What is the hearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well South East ☐ Distance from well .200'.								
FROM TO	LITHOLOGI	CIOG	FROM	TO TO		G (cont) or DI I	JGGING INTERVALS	
0 21 Clay	Difficeout		1 KOW		DITIO. DC	o (cont.) or I LC	JOHN HILKYALS	
21 103 Silty Clay			1					
103 123 Shale								
123 150 Sandstone)							
150 160 Shale								
	* ***							
			+			,		
			1					
						3-400 ·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 3/26// and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 575 This Water Well Record was completed on (mo/day/year)								
under the business name of Jeffel Wakum Well Dylling by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212				Ch	eck: Wh	ite Copy, 🔲 Bl	ue Copy, Pink Copy	