WA	TER WE	LL RECORD	Form V	VWC-5	D	vivision of Wate	r Resources App. N	o	
			Fraction		Sect	ion Number	Township No.	Range Number	
	County: Le		SE 14 SW 14 SI			26	T 10 S	R 22	
	Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
] 1	from nearest town or intersection: If at owner's address, check here . Latitude: .39.1444							444 (in decimal degrees)	
j	Longitude: 94.92586						901	61 (in decimal degrees)	
Elevation:							1 374 0 00		
2	WATER WELL OWNER: Bret Curtis					Datum: WGS 84, NAD 83, NAD 27			
	RR#, Street Address, Box #: 17289 Donahoo Rd				Collection Method: GPS unit (Make/Model:)				
	City, State, ZIP Code : Basehor, KS 66007				☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey				
	City, State,	Baseno					5-15 m, >15 m		
3 1	3 LOCATE WELL								
1	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL .110 ft. Depth(s) Groundwater Encountered (1).95 ft. (2) ft. (3)								
N WELL'S STATIC WATER LEVEL35ft. below land surface measured on mo/day/y							ay/yr		
	Pump test data: Well water wasft. after hours pumping								
	W - NW - NE - NE - E EST. YIELD. 20								
	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
-	was a chemical/bacteriological sample submitted to Department?								
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter $6.5/8$ in to 110 ft., Diameter in to ft., Diameter in to ft.									
Casing height above land surface. 18 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No220 PSI									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SC	REEN-PER	FORATED INTERVALS:	From 80	ft to 100		ft From	fi t	o ft	
00	CEEN 1 EN							to ft.	
	GRAV	EL PACK INTERVALS:							
From									
Gro	ut Intervals:	From .0 ft. to	. 30 ft., Fror	n	ft. to	ft.,	From	. ft. toft.	
What is the nearest source of possible contamination:									
	Septic ta		es 🔲 Pit privy	Livestock		Insecticide		er (specify below)	
Sewer lines									
_	∐ Waterti	tht sewer lines	it ∐ Feedyard iod	Fertilizer s		☐ Oil well/gas ell Nothina			
								CCDIC DITEDUAL C	
FRC		LITHOLOG	IC LOG	FROM	TO	LITHO. LC	G (cont.) or PLU	GGING INTERVALS	
0	8	Clay		 					
8	18	Glacial Drift		1					
18	25	Shale							
25	35	Limestone							
35	75	Shale		1					
75	95	Sandstone		 					
95	109	Pebbles (ancient river b	ed)	 					
109	110	Shale							
				1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 595. This Water Well Record was completed on (mo/day) wear) 1/24// under the business name of Jesse Year well Dilling by (signature)									
unde	r the busine	ss name of JC55C YCKIK	WM WILL UNILL	?.5	. by (s	ignature)	and the	AC 9.5	
INST	RUCTIONS:	Use typewriter or ball point pen. Kansas Department of Health an	PLEASE PRESS FIRML	<u>V</u> eind <u><i>PRINT</i> cl Water Geologic</u>	early. Ple	ase till in blanks	and check the correct and St. Suite 420. Tone	answers. Send three copies	
Telen	., orac, pink) ti hone 785-296-	5524. Send one copy to WATER	WELL OWNER and retain	n one for your re	cords. In	clude fee of \$5.0	0 for each construct	ed well. Visit us at	
		ov/waterwell/index.html.		,		_ <u>*4.</u> °			
	82a-1212								