

# WATER WELL RECORD

## DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
		Dry hole 10 ft. North warehouse
0	20	Sandy clay
20	90	Fine silty sand
90		Line T.D. 90 ft.
		Test hole No. 1
0	15	Sandy clay
15	25	Fine sand gray
25	30	Course sand gray
30	35	Gravel
35	40	Gravel and sand
40	45	Course sand and garavel
45	50	Gravel
50	55	Gravel
55		Shale T.D. 55 ft.
0	10	Clay Test hole No. 2
10	15	Clay
15	25	Sand fine
25	35	Sand coarse
35	40	Sand fine
40	45	Sand fine
45	50	Sand med.
50	50	Gravel very coarse
50	55	Gravel very coarse
55	60	Gravel very coarse
60	61	Clay 61 ft. T.D.

Well Owner Ecene Fle Flour

Address Malcott, Kansas

Drilling Contractor Brewer Drilling Co.

Basehor, Kansas

Date Drilled May 14, 1962

Method of Drilling Cable Tool  
(Cable tool, rotary, reverse rotary, etc.)

Casing Schedule \_\_\_\_\_  
(Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)

Screen Data (if any): \_\_\_\_\_  
(Length, Diameter, Slot Size, Setting)


Measured depth to water on completed well (Static Level) is \_\_\_\_\_  
ft. below \_\_\_\_\_  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: \_\_\_\_\_ gallons per \_\_\_\_\_  
(Min., Hour)  
as determined by \_\_\_\_\_  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hrs.  
pumping at \_\_\_\_\_ gal. per minute.

REMARKS:

LOCATION OF WELL Topographic Sheet \_\_\_\_\_  
[Show location in Section Plat] Elev. \_\_\_\_\_



T. 10 S. R. 23 E. W  
County WY

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."