32 Boschol To WATER WELL RECORD

· · ·		DRILLERS LOG OF WELL
FROM (FT.)	TD (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
0	2	Lon soil
2	32	Clay
32	52	Sand yellow
52	60	Granel water
60	94	Sand, May
94	95	Hard Sand
5		
	,	

"To preserve water well information as	nd to	promote	the	conservation,	protection,	and
evelopment of ground-water resources."	1.0					

Well Owner Ma.	Mr. Theno
- 1	
	hor, Kan
	Brever Drilling C.
Bx 147	Basehor, Tan
Date Drilled	w. 30, 1959
Method of Drilling	(Cable tool, rotary, reverse rotary, etc.)
Casing Schedule / (Amount, Size, Setting	New, Used—Steel, Galv.—Gage or Weight)
Screen Data (if any):	
Screen Data (II any):	(Length, Diameter, Slot Size, Setting)
Measured depth to w	vater on completed well (Static Level) is
42 ft.	below Yar L surface (Land Surface, Top of Casing, Etc.)
TESTED YIELD:	(Land Surface, Top of Casing, Etc.) gallons per
	(Min., Hour)
as determined by	(Bailing, Test Plumping, Etc.)
Drawdown:	ft, after hrs.
pumping at	gal. per minute.
REMARKS:	0 10
Good	L week
	Var
Top	28
1 0 1	8 the same
Gove	B4-88
	R /
LOCATION OF WELL	Topographic Sheet Basko
	Topographic Sheet Baskov Plat] Elev. 780 ±
LOCATION OF WELL	Topographic Sheet Baskon Plat] Elev. 980 ± W NW & NW & Sec. 30
LOCATION OF WELL	Topographic Sheet Baskov Plat] Elev. 780 ±