

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: County Wyandotte		Fraction SE 1/4 SW 1/4 SE 1/4		Section number 29		Township number T 10 S R 22		Range number 23 (EW)	
2. Distance and direction from nearest town or city: Street address of well location if in city: 3 1/2 miles east of Basehor, Kansas				3. Owner of well: Mr. Roger Tranckino R.R. or street: Columbia Union National Bank City, state, zip code: 900 Walnut, K. C. Mo., 64106					
4. Locate with "X" in section below: Sketch map:				6. Bore hole dia. 8 in. Completion date 6-26-78 Well depth 100 ft.					
				7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary					
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other					
5. Type and color of material				From		To		9. Casing: Material PL Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 5 in. to 102 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 265	
Dug Well				0		25		10. Screen: Manufacturer's name (Slotted Pipe) Vinylplex, Inc.	
Sandstone				25		36		Type PVC Dia. 5" Slot/gauze 06 1/16 Length 40' Set between 20 ft. and 60 ft.	
Shale				36		53		Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 - 1/8	
Lime				53		59		11. Static water level: 16 ft. below land surface Date 6-26-78	
Shale				59		73		12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 5 g.p.m.	
Lime				73		86		13. Water sample submitted: ____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date ____	
Shale				86		98		14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade	
Lime				98		100		15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 15 ft.	
								16. Nearest source of possible contamination: ft. 200' Direction NE Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
								17. Pump: Not installed Manufacturer's name Jacuzzi Model number 5S4B HP 1/2 Volts 220 Length of drop pipe 90 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
								(Use a second sheet if needed)	
18. Elevation:		19. Remarks: Approximate storage in dug well -- 1,000 gallons				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. BREUER, INC. 174 Business name License No. Address Box 147, Basehor, Kas Signed [Signature] Date 6-26-78			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						<div style="position: absolute; right: -50px; top: 50%; transform: translateY(-50%); font-size: 2em; font-weight: bold;"> 12 23 29 SE 1/4 R W Sec 1/4 1/4 1/4 </div>			