

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215


Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

30 29

cb

29

BR
SD

1. Location of well:		County Wyandotte	Fraction NW 1/4 NW 1/4 SW 1/4	Section number 32	Township number T 10 S R	Range number E 23E W
2. Distance and direction from nearest town or city: 1 E, 1.5 N of Victory Junction			3. Owner of well: Kenneth Rhodes 3443 N. 131st St. Piper, Kansas KC, KS 66109			
4. Locate with "X" in section below: Sketch map: 			6. Bore hole dia. 8 in. Completion date 9-10-75 Well depth 100 ft.			
5. Type and color of material			From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Top Soil - Dark			0	3	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Clay - Yellow			3	20	9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft.	
Sandy Clay - Yellow			20	35	Dia. 5 in. to 101 ft. depth; Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth; gage No. 0.258	
Blue Mud - Blue			35	60	10. Screen: Manufacturer's name Vinyplex Inc Type Slotted Pipe Dia. 5" Sto gauze 0.60 Length 20' Set between 60 ft. and 80 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8	
Gravel - Sharp - Yellow			60	62	11. Static water level: 30 ft. below land surface Date 9-10-75 mo./day/yr.	
Sandstone - Gray			62	80	12. Pumping level below land surfaces: ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 10 g.p.m.	
Lime - Brown			80	86	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
Shale - Blue			86	92	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade	
Lime - White			92	100	15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <input type="checkbox"/> ft. to <input type="checkbox"/> ft.	
					16. Nearest source of possible contamination: ft. 100 Direction SE Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
					17. Pump: Not installed Manufacturer's name Jacuzzi Model number 5SHB HP 1/2 Volts 230 Length of drop pipe 95 ft. capacity <input type="checkbox"/> g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. BREUER DRILLING CO. 174 Business name License No. Address Box 117 Basehor, Kas. 66609 Signed [Signature] Date 9-16-75	
18. Elevation: 942' Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks:				

L 2 2 3 3 2 1/4 NW 1/4 SW 1/4

BR = 880

∇ = 912