				WELL RECORD F	orm WWC-	5 KSA 82a-	1212		
1 LOCATI		TER WELL:	Fraction		1	ction Number	Township Number	Range N	•
County:	N.	HOOME	1/4		1/4	34	T 10 S		r E. ⋘
Distance a			•	dress of well if located	within city?				
	20	29 FAIRFAY	TRAFFICIA	m, KC, KS				NEUNO	12.
	R WELL OV	VNER: PHI	LIPS PETE	LEUM COMPANY					
RR#, St.	Address, Bo			Trafficulty			Board of Agricultu	re, Division of Wate	er Resources
	, ZIP Code	<u> </u>	-, KS 661	is			Application Numb		
LOCATI	E WELL'S L						TION: T.O.C. @.		
AIV X	IN SECTIO	N D							
7 [!	l i	ELL'S STATIC	WATER LEVEL?	4 ft. b	elow land surf	face measured on mo/da	y/yr	
1 L	 -	- NF	Pump	test data: Well water	was	ft. af	ter hours	pumping	gpm
Est. Yield gpm: Well water was ft. after hours p									gpm
<u>•</u> L	i	I B	ore Hole Diamet	er 2.8 in. to	48		and	in. to	.
								11 Injection well	
7	SW	SE	1 Domestic	3 Feedlot 6	Oil field wa	iter supply	9 Dewatering	②Other (Specify	below)
	· - 3 W	36	2 Irrigation	4 Industrial 7	Lawn and	garden only 1	0 Monitoring well 🕰	teo Kecover	A MESC
1 1	i	l I W	/as a chemical/b	acteriological sample su	bmitted to D	epartment? Ye	es; If	yes, mo/day/yr sam	iple was sub
I		ş m	itted			Wat	er Well Disinfected? Yes	<u>No</u>	
5 TYPE (OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS: 0	ilued Clamp	oed
_ D Ste	eel	3 RMP (SR)				(specify below	•	Velded	
2 PV		4 ABS						hreaded	
Blank casi	ng diameter	·	. to	ft., Dia	in. to		ft., Dia	in. to	ft.
Casing he	ight above I	and surface	36	in., weight 4 🤼	5.6	Ibs./1	t. Wall thickness or gaug	e No STO.	
TYPE OF	SCREEN C	R PERFORATION	MATERIAL:		7 PV	/C	10 Asbestos-c	ement	
1 Ste	eel	Stainless s	teel	5 Fiberglass	8 RM	MP (SR)	11 Other (spe	cify)	
2 Bra	ass	4 Galvanized	l steel	6 Concrete tile	9 AE	s	12 None used	(open hole)	
SCREEN (OR PERFO	RATION OPENINGS	S ARE:	5 Gauzeo	wrapped		8 Saw cut	11 None (ope	en hole)
1 Co	ontinuous sk	ot 3 Mill	slot	⊚ Wire wi	apped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-	PERFORAT	ED INTERVALS:					n		
							n		
(GRAVEL PA	CK INTERVALS:	From	17.8 ft. to	48		n		
			From				n		
							Other		
Grout Inter	rvals: Fro	om 🔁 ft.	. to 5.•.% .	ft., / From 5			ft., From		
What is th	e nearest s	ource of possible co					ock pens 1		
1 Septic tank 4 Lateral lines 7 Pit priv					Fuel storage 15 Oil well/Gas well				
2 Se	ewer lines	5 Cess po	ool	8 Sewage lagoo	oon 12 Fertilizer storage 16 Other (specify below)				
3 W	atertight sev	ver lines 6 Seepag	je pit	9 Feedyard		13 Insect	ticide storage		
Direction f					1	How mar		10 WITED! (1) 0	
FROM	то		LITHOLOGIC L	.OG	FROM	TO	PLUGGIN	IG INTERVALS	
_ 0	2.0	GRAYEL				l			
2,0	9.0		yry Silt			-			
410	24,0		e Silty San			1			
24,0	34.0			FINE SAND					
34.0	50,5	GRAGOT	To Buck Colle	SE SAND SOME FINES					
50.5	57.0	GR FINE	TO MED S	SAUD SOME FIVES					
57.0	66.0	GR COM	ESE TO ME	SOUP SOME FIVES		ļ			
						 			
7 CONTI	RACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water well was	constru	ucted, (2) reco	nstructed, or (3) plugged	under my jurisdicti	ion and was
		//year)	1-4-92				rd is true to the best of m		
				This Water We				23-92	
	business na			RH COMPANY		by (signat		2	
	· · · · · · · · · · · · · · · · · · ·				se fill in blanke		the correct answers. Send top	three copies to Kansas I)epartment
							WNER and retain one for your re		,