•				R WELL RECO			KSA 82a-				
	ON OF WATE			05	<u> </u>		ion Number			Range Number	
County:	Wya	ndotte	SE ½	SE ½		thin city?	36	т 10	S	R 24	E
			-	4746 Parrall	lel, Kans		Kansas			W-14103	
			E Time and Ma		Parral	lel Fina S	Service				
			SW Jackson #					Board of Agricult	ure, Divis	sion of Water Resource	œs
City, State,	ZIP Code	: Tope	ka, Ks 66612-	1367				Application Num	ber:		
3 LOCATE	WELL'S LO	CATON WIT	H 4 DEPTH OF C	OMDI ETED W	/EII	14.7	5 # FLF	VATION:			
	4 SECTION E	JOX.	Denth(s) Ground	water Encounte	ered 10	N/		t. 2	ft. :		Ft.
	N		WELL'S STATIC	WATER LEVE	9.13	ft.	below land	surface measured on	mo/dav/v	r 08/16/02	
А Г	- T		f .					Ft. after			pm
T I	NW	\ <u> </u>	Est. Yield	Gpm: W	/ell water v	vas	F	Ft. after	Hours p	umping G	pm
	Nvv	NE	Bore Hole Diame	ter 6.25	In. to	14.7	75	ft. and	in.	. to	Ft.
₩ ₩			E WELL WATER T	O BE USED AS	S: 5 Pul	olic water su	ipply	ft. and 8 Air conditionin 9 Dewatering	ig 11	Injection well	"
ī			I	4 Industrial	7 1 0	meiu water s	on (domosti	ic) 10 Monitoring w	<u> </u>	MW_4	" ,
-	sw	SE	2 Irrigation					Yes No X			
. ↓ 1		X	Submitted	bacteriological :	sample su	omitted to L		ater Well Disinfected?	-		is
5 TYPE O	F BLANK CA			5 Wrought	Iron	8 Concre		CASING JOINTS			
1 Ste			P (SR)						Welde		
2 PV		T 4 ABS	` ,	7 Fiberglas				···		ded X	
				Ft							
Blank casin	g diameter _	4.75	in. to 14.7	5 Dia		In. t	0	ft., Dia		in. to	ft.
Casing heig	ht above land	surface	FLUSH	in., weight	SC	H 40	Lbs./ft	. Wall thickness or ga	auge No.		
			ON MATERIAL:					10 Asbest			ĺ
1 Ste 2 Bra		3 Stail	nless steel vanized steel	5 Fiberglas	S tilo	8	RMP (SR)	11 Other (12 None u	specify)	n hole)	
			INGS ARE:	5	Gauzeo	d wrapped	ADS	8 Saw cut	seu (ope	11 None (open hole	,
	ntinuous slot		Mill slot	6	Wire w	apped		9 Drilled holes		()	
2 Loi	uvered shutte	r 4	Key punched		Torch o	ut		10 Other (specify))		
SCREEN-P	ERFORATED	INTERVAL	S: From	1.75 ft. 1	to	14.75	ft. 1	From	ft. to)	ft.
			From	ft.	to		ft. I	From	ft. to		Ft.
SAI	ND PACK INT	ERVALS:	From	3 ft.	to	14.75	ft.	From	ft. to)	Ft.
			From	ft.	to		ft.	From	ft. to)	Ft.
6 GROUT	MATERIAL:	1 Nea	t cement 2	Cement grout	_	3 Ben	tonite	4 Other			
Grout Inten	rale From3	1		⊢ 1		F1		ft. From			
What is the	nearest source	e of possible	e contamination:	FIUIII2				stock pens			"
		-	4 Lateral lines	7	Pit privy			storage			- 1
2 Se	wer lines		5 Cess pool	8	Sewage la	agoon		lizer storage		er (specify below)	\neg
3 Wa	tertight sewer	r lines	6 Seepage pit	9	Feedyard			cticide storage		ntaminated Site	-
Direction fro	•						How many				
FROM	TO 75	CODE		OGIC LOG		FROM	то	PLUG	GING IN	TERVALS	
.75	.75 14.75		sphalt lay with some	eilt (CL)			1	*** 14			
14.75	TD		nd of Borehol			-					
		+					-				\dashv
		+ +				-	-				\dashv
			11717								
				- Andrews							
7 CONTO	ACTOR'S OR	LANDOMA	ED'S CEDTIEICATI	ON: This water	r well was	(v) construc	ted (2) rec	onstructed, or (3) plug	nged unde	er my jurisdiction and	w
Completed	on (moldaylar	Y EVIADOMN	OR/1	ાય. ⊹ાાંક water 4/02	well was	(x) CONSTRUC	is record in t	true to the best of my	knowlad:	ne and helief Kansa	,"
				585		This \A	ater Well P	ecord was completed	on (mo/d	lav/vr) 08/19/0	2
under the h	usinoss nama	of	Associat	ed Environ	ımental	. Inc.	F	By (signature) Dari	n R Du	ıncan	
INSTR	UCTIONS: PI	ease fill in bla	nks and circle the corre	ect answers. Se	nd three co	pies to Kans	as Departme	nt of Health and Environ	ment, Bur	reau of Water, Topeka,	
Kansa	s 66620-0001.	Telephone: 9	13-296-5545. Send o	ne to WATER W	VELL OWN	ER and retain	one for you	r records.`			