## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

Wyandotto

County:

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range: 3/-/05-35W	32-105-24E
Fraction ( 1/4 1/4 1/4): SE SW SE	5W 5W 5W
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Well owner's address,	Kansas City city map,
and Wolcott 1:24,000 topo.	' ' '
	initials: DRL date: 5/6/2003
where the day of Cooks and Survey Date Beauty Library 1920 Co	, ,

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF W	WATER WELL:	ER WELL RE	CORD Form	1 WWC-5		a-1212 ID				
	. 4	Fraction	<u> </u>		1	tion Number		ip Number	Range Number	_
County: Distance and direction	volle	5 F 1/4		5£ 1/4		3/	T	<i>//i</i> s	R 35 EAM	2_
Distance and direction	on nom nearest lov	in or city sires	et address of we	eli ii located w	iunin City	y :				
2 WATER WELL OV	WNFR · / //	To a Way	7							
RR#, St. Address, Bo	THE CHIE	0 11/10	<i>l</i>				5B-0		- 6 Division of Water Resour	
City, State, ZIP Code	•			a .				ion Number:	division of water Resour	ces
3 LOCATE WELL'S L	X 7-7-74	7 (1/2)		2.	3.60	4 ELEVA	• • •			
AN "X" IN SECTION										• •
_ N	V	VELL'S STATIO	:WATER LEVE	1 /2 / 4 8	ft helov	II. v land surface	z		8/17/01	
<b> </b>	! !								oumping	···
NW	NE     E								oumping g	
1									in. to	
	1 6 1		TO BE USED A				3 Air conditioni		iii. 10	•
± 44	!	1 Domestic		6 Oil fiek			Dewatering	•	other (Specify below)	
	SE	2 Irrigation	4 Industrial				•		S	
3//		•						_		
1			/bacteriological sa	ample submitted	to Dep			-	no/day/yrs sample was s	ub-
S TOPE OF BLANK		nitted	= 144				Well Disinfec			
5 TYPE OF BLANK			5 Wrought iron		Concret				ed Clamped	
1 Steel	3 RMP (SR)		6 Asbestos-Ce		•	specify belov	•		led	• •
	4 ABS ⊅	23	7 Fiberglass						aded	
-									in. to	
Casing height above	land surface	<i>////</i> /i	in., weight			lbs./	ft. Wall thickne	ess or gauge N	0	• •
TYPE OF SCREEN					TPVC			Asbestos-cem		
1 Steel	3 Stainless s		5 Fiberglass		8 RMF				on hole)	
2 Brass	4 Galvanized		6 Concrete tile		9 ABS			None used (or	•	
SCREEN OR PERF				5 Gauzed wrapp			8 Saw cut 9 Drilled ho	loe	11 None (open hole)	
2 Louvered shut		punched		7 Torch cut	eu					ft.
SCREEN-PERFOR					5	ft From			0	
SOMEEN - EM ON	ATED INTERIVACE	From							0	
GRAVEL I	PACK INTERVALS	: From 🚜	?•.6	ft. to		ft., From		ft. t	o <i></i>	ft.
	_	From		ft. to		ft., From		ft. t	0	ft.
6 GROUT MATERIA	AL: 1 Neat cen	nent	2 Cement grou	ıt 3≼	Bentoni	te 4 (	Other			
		ليجر ft. to			ft.	to	ft., From	1 <i></i>	ft. to	
What is the nearest							tock pens		bandoned water well	
1 Septic tank	4 Lateral	lines	7 F	Pit privy		411 Puel s	storage	15 C	il well/Gas well	
2 Sewer lines	5 Cess p	ool	8 8	Sewage lagoor	1	12 Fertili	zer storage	16 C	Other (specify below)	
3 Watertight sew	er lines 6 Seepag			Feedyard			icide storage			
Direction from well?				<b>,</b>		How man	-			
FROM TO	<del></del>	THOLOGIC LO	OG	FB	ОМ	то		PLUGGING IN	ITERVALS	
0 23.6										_
0 200		0-100 KK2	for ground	~						
	DOB	401.	or grown							
	Je 196. C	· 1441/2/	41 /7 .							
23.6	Limestone	a Co					/			
23.0	21000 31000	with the	<b>7</b>							
	-									
						-				
<del> </del>						/				
					-	·				
					-/+					
					/					
7 00 77 10 10 10 10 10 10 10 10 10 10 10 10 10	00   41:50:::::=:	0.055555	FION: The state of	II ///		-t-d (0) ==	materiate -	(2) plugged :	dor my juriodiation and	
CONTRACTOR'S	OH LANDOWNER!	S CENTIFICAT							der my jurisdiction and w	
completed on (mo/da	y/year) <i>G /.!.?.</i> /	'Y./ 2							owledge and belief. Kans	aS
Water Well Contracto		F. 5. C	This W	ater Well Rec	ord was			• • • • • • • • • • • • • • • • • • • •		• •
under the business n	ame of In Alin	bout.	Field Ser	Z <u>صر</u> ي ديه		by (si	gnature)			
INSTRUCTIONS: Use typ	pewriter or ball point pen. I	PLEASÉ PRESS FII	RMLYand PRINT clea	rly. Please fill in bla	nks, under	line or circle the c	orrect answers. Ser	nd top three copies to	Kansas Department of Health and	t
Environment, Bureau of V	Vater, Topeka, Kansas 666	20-0001. Telephone	9 785-296-5524. Send	one to WATER WE	LL OWNE	R and retain one fo	or your records. Fee	of \$5.00 for each cor	nstructed well.	

LOG OF BORING SB-2/MW-6

PAGE 1 of 1

		Overland Park	KS 66211						
PROJ	ECT NA	ME:	QuikTrip #172	0	DATE:	8/17/01			
PROJ	ECT NU	MBER:	825335	0	EPTH TO W	ATER:	12.98		
	TION:		8200 Parallel Parkway, Kansas City, KS	+	TOTAL DEPTH: 23.6 feet				
	ED BY:	NTDACTOR:	Eric Gorman	METHOD: Hollow Stem Auger				Auger	
DRILL	ING CO	NTRACTOR:	Deffenbaugh	DRILLER:					
DEPTH feet	SAMPLE	SAMPLE INTERVAL feet	GEOLOGIC DESCRIPTION	SOIL CLASS	PID READINGS ppm	GRAPHIC MONITOI WELI	RING	REMARKS	
_1								-	
_2								· -	
_4								-	
_ <u>5</u> _6		0-5	clays	CL				<del>-</del>	
		5-7	no recovery					-	
_8					100			-	
_9 _10		7-9	clay with little silt, firm to hard, medium plasticity, grey with some brown					-	
끄		9-11	same as above, last 5" soft greenish grey					 -	
_12			clay, soft and damp		80			-	
_13		11-13	same as above, more platy structure with iron staining	CL	200			-	
_15		13-15	same as above, hard, soft last foot and slightly wet					- -	
_16	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				400			-	
_17	IIIIIIIIII IIIIIIIIIIIIIIIIIIIIIIIIIII	15-17	damp clay, soft, dark charcoal grey, very strong petroleum odor, high plasticity, moist	CL	1,100			-	
_19		17-19	same as above with moisture in		·			-	
_20 _21		19-21	greenish - grey, clay, wet					-	
_22		-	straight drill to bedrock					-	
_23			Total Depth - 23.6 feet - refusal limestone					bentonite	
_24 _25			///// Samples SB-2 16-18				i de	sand – screen ben/cem slumy cement	

## **RECEIVED**

AFR 1.8 2002

**BUREAU OF WATER**