		TER WELL RE	CORD Form	WWC-5	KSA 82a	-1212 ID) No			
LOCATION OF W		Fraction	5W 1/4	SW 1/2	Se	ction Number		ip Number	Range Number	. 1
County: WY AND		NW	, ,-,	74		13		8 S	в 24 📵	/W
Distance and direction	n from nearest tov	wn or city street	address of well i	if located v	vithin city?					
WATER WELL ON	WAIED: O		11							
WATER WELL OV	WIER: BOA	pro of	PUBLIC UT	14770	•					
RR#, St. Address, Bo City, State, ZIP Code	×# : 54	MUSAS	esum A.	KS			Applica	tion Number: 4	Division of Water Resou このなりすり	
LOCATE WELL'S L		4 DEPTH OF	COMPNETED W							
AN "X" IN SECTION		()	ındwater Encoun							
1	1							, ,	umping	
1	. 1								umping	
NW	NE	WELL WATER	R TO BE USED A	S: 5 P	ublic water	supply	8 Air condition	oning 11 İn	jection well	
		1 Domesti			il field wate		9 Dewatering		Other (Specify below)	
W	E	2 Irrigation	1 4 maustra	ai / D	omestic (ia	wii a gaidei	n) to Morntoning	weii		
-sw	SE	Maa a abamis	al/baatarialasiaa	l sample s	ubmittad ta	Danadman	to Van No	. If was m	odaylura aamala waa	oub
	1	mitted	al/bacteriologica	i sample s	ubmitted to	Departmen	Water Well Disin		no/day/yrs sample was No	Sub-
		1					710101 11011 210111			
5 TYPE OF BLANK	CASING USED:	L	5 Wrought iro	<u> </u>	8 Conce	rete tile	CASING	IOINTS: Glue	d Clamped	\dashv
1 Steel	TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)			ement	8 Concrete tile 9 Other (specify below				led	
2 PVC) 4 ABS			7 Fiberglass						aded	
	lank casing diameterin. to									
	in., weight	•••••				os./ft. Wall thickness or guage No				
TYPE OF SCREEN C	E Eiborgloog		7 PVC			10 Asbestos-Cement 11 Other (Specify)				
2 Brass	5 Fiberglass6 Concrete til	е	8 RMP (SR) 9 ABS			None used (op	,			
SCREEN OR PERFO	5 Guaze				8 Saw cut		11 None (open hole)			
Continuous sle		6 Wire v			9 Drilled ho	oles	11 None (open note)	'		
2 Louvered shutt		fill slot Cey punched		7 Torch	_		٠,٠	• /		
SCREEN-PERFORAT	TED INTERVALS:	: From	65	ft. to	85	ft., Fro	om	ft. to		ft.
		From		ft. to		ft., Fro	om	ft. to		ft.
GRAVEL PA	ACK INTERVALS:									
		1 10111		11. 10		16., 1 10	0111			11.
GROUT MATERI		t cement	2 Cement of			tonite				
Grout Intervals: Fro	om	ft. to	ft., Fror	n	ft.	to	ft., From		ft. to	ft.
What is the nearest s	•						estock pens		bandoned water well	
1 Septic tank	4 Later			Pit privy	11 Fuel sto		ŭ		Dil well/Gas well	
2 Sewer lines	5 Cess	•		Sewage la	-		ertilizer storage	16 C	Other (specify below)	
3 Watertight sewer lines 6 Seepage pit			9	Feedyard	13 Insection How many		secticide storage	-		
Direction from well?	1	LITHOLOGI	10.1.00		FROM	TO	nany leet?	PLUGGING IN	TEDVALC	
FROW TO		LITHOLOGI	ic Log		PHOIVI	2	1/12	re Sur		
						25	S mm	60 0 T	Grove	
					25	85	GA A	Comer	0,40,	
						83	GICA			
			-							

7							1	-		
☐ CONTRACTOR'S	OR LANDOWNE	R'S CERTIFIC	ATION: This wat	er well wa	s (1) consti	ructed, (2) r	econstructed, of	(3) plugged und	r my jurisdiction and	l was
completed on (mo/day, Water Well Contractor	/vear)	I. J				and this	s recora is true to t	ne best or my kr	nowledge and belief. Ka	ınsas
Water Well Contractor under the business na							leted on (mo/day/ by (signature)			
ander the business lid	me of Gme	110 11801	1 4219	NY C	ic	- L	or (signature)	TIV		

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>FIRMT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.