
WATER WELL R		WWC-5		sion of Water			MW-5		
Original Record		ge in Well Use		urces App. No.		Well ID L			
1 LOCATION OF WA		Fraction	i i	ion Number	Township Numbe		ge Number		
County: Wyandotte	9	SE 1/4 SW 1/4 SE 1/4							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and									
Business: Sam's Investments and Realty, LLC direction from nearest town or intersection): If at owner's address, check h									
Address: 10718 W.	162nd Street	Food Mart							
Address: City: Overland !	Park State: KS	1		Leavenworth Road, Kansas City, KS 66104					
City: Overland I 3 LOCATE WELL	T T T T T T T T T T T T T T T T T T T								
WITH "X" IN		MPLETED WELL: .		5 Latitude	39.14323	·····(decimal degrees)		
SECTION BOX:	Depth(s) Groundwater	Encountered: 1)	ft.	Longitude: -94.71731 (decimal degrees)					
N SECTION BOX.	2) N/A ft.	3) N/ A ft., or 4) [Dry Well						
	WELL'S STATIC WA	ATER LEVEL:16.	15 ft.	Source for Latitude/Longitude:					
	below land surface	e, measured on (mo-day-	·yr)!2/29/19.						
NW NE	above land surface	e, measured on (mo-day-	yr)						
	Pump test data: Well	water wasN/A f rs pumping N/A	l.	■ Land Survey ☐ Topographic Map					
W	Well	water wasN/A	gpiii	LI Onli	Online Mapper:				
SWSE	after N/A hou	rs pumping N/A	enm						
	Estimated Vield: N	A onm	Spin		n: 953.54ft.				
S	Bore Hole Diameter:	Agpm 8.25 in to30	ft. and		Land Survey 🔲 G				
1 mile	Boto Hoto Brancier.	N/A in to N/A	ft.	[☐ Other				
7 WELL WATER TO									
1. Domestic:		ater Supply: well ID		10. □ Oil F	ield Water Supply: lea	ase			
Household		ing: how many wells?		Test Ho	le: well ID				
☐ Lawn & Garden		Recharge: well ID			d □ Uncased □ G				
☐ Livestock	8. Monitori	ing: well IDM\	N-5		mal: how many bores				
2. Irrigation	Environment	ntal Remediation: well II)	a) Clos	ed Loop Horizonta	ıl 🔲 Verti	cal		
3. Feedlot		ge 🔲 Soil Vapor	Extraction	b) Oper	Loop Surface Dis	charge	Inj. of Water		
4. 🗌 Industrial	☐ Recovery	y		13. 🔲 Othe	r (specify):				
Was a chemical/bacter	iological sample sub	mitted to KDHE?	Yes No	If yes, date s	ample was submitted	i:			
Water well disinfersts 49	C V No								
8 TYPE OF CASING Casing diameter 2 Casing height above land s	USED: ☐ Steel ■ P	VC Other	CASIN	NG JOINTS:	☐ Glued ☐ Clamped	☐ Welded	Threaded		
Casing diameter2	in. to 15 f	Diameter N/A	in. to N/A	ft., Diamet	er N/A in. to	N/A ft.			
Casing height above land	surface0	in. Weight N//	lbs./ft.	Wall thickne	ss or gauge No. Sch.	.40			
TYPE OF SCREEN OR	R PERFORATION MA	ATERIAL:			-				
1	nless Steel			☐ Other	(Specify)				
☐ Brass ☐ Galv	vanized Steel	ncrete tile	used (open hole	;)					
SCREEN OR PERFOR	ATION OPENINGS A								
☐ Continuous Slot					Other (Specify)				
☐ Louvered Shutter	☐ Key Punched ☐	Wire Wrapped ☐ Sa	aw Cut 🔲 N	lone (Open Hol	e)	Α -	NI/A -		
SCREEN-PERFORATI	ED INTERVALS: Fro	om15 ft. to .30	ft., From .	N/A ft. to .!	N/A ft., From .N/	A ft. to	.N/A ft.		
GRAVEL PAG	CK INTERVALS: Fro	om 13 ft. to 30	ft., From .	N /A ft. to .	N/A ft., From!	! /A ft. to	!N/A ft.		
9 GROUT MATERIA	L: Neat cement	☐ Cement grout ■ B	entonite 🔳 C	ther Concret	e 0 to 2				
Grout Intervals: From	2 ft. to13	ft., From N/A	ft. to N /A	ft., From	N/A ft. toN/A	ft.			
Nearest source of possibl									
☐ Septic Tank	☐ Lateral Li			Livestock Pens		cide Storage			
Sewer Lines	Cess Pool		agoon 💮	Fuel Storage		oned Water			
☐ Watertight Sewer Lis				Fertilizer Stora	ge ☐ Oil Wel	ll/Gas Well			
Uther (Specify)	uthwest	D' 0	125		^				
Direction from well? .So		The state of the s			ft. ITHO. LOG (cont.) or		GINTEDVALO		
10 FROM TO		OGIC LOG	FROM	TO L	THO. LOG (cont.) or	LLUGGIN	G INTERVALS		
	Attached								
			1						
			Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction a	nd was completed on	(mo-day-year) .1018	-2018 and	this record is,	true to the best of m	y knowled	ge and belief.		
under my jurisdiction and was completed on (mo-day-year) .10-18-2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No759 This Water Well Record was completed on (mo-day-year) .1/29/2019 under the business name of RAZEK Environmental LLC. Signature									
under the business nam	e of KAZEK Enviro	nmental LLC	Si	gnature		oter CUTC	Section		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									

Wya	ndotte Co				5	E SW SE	St	27-	10-	245
PROJECT: In and Out Food Mart PROJECT NUMBER: U4-105-15069			CLIENT:	Sam's Investment Realty LLC	& BORING	NO.:	М	W 5		
STREET ADDRESS: 5940 Leavenworth Rd. CITY, STATE: Kansas City, KS				DRILLING CONTRACTOR:	Razek	DRILL R	DRILL RIG TYPE: DPT/HSA			
GEOLOGIST: Ryan Weiser DRILL CREW: Greg Goode, Tony Poulter		T	STARTED:	10/18/18	BORING DIAMETER:	2.25/8.25	TOP OF ELEVAT	CASING		
		DATE	COMPLETED:	10/18/18	TOTAL DEPTH:	30'		DWATER		
				PAD ELE	VATION:		SWL EL	EVATION:		
DЕРТН (ft.)	Soil Group Name Rock Description: modil solutions, void conditio	ierm c	olor, hardness/de	egree of concer	ntration, bedding			PID (ppm)	LABSAMPLES	BORING COMPLETION
_		Тор	soil. Brown/Tan. S	Silty-Sandy Cla	y loam; moist, n	o odor.		0.9		Season S
	SILT. Brown, Clayey, very plastic, moist, no odor.							0		
								NR		
		Clay	. Tan-Grey-Browr	n; orange mott	ling, very plastic	; moist; very slight	odor,	153.2		
10		blac	k organics.					148.2		
10						V		0		
	Clay. Tan-Grey; Silty; very plastic, black smearing, saturated fine grained sa zone from 14'-15', no odor.							1		
								0		
		4	. Tan-Grey; Sand inics.	y; very plastic	, no odor, moist,	calich/chert chips,	black	0		
_								0		
20 —										
-										
_										
		4_								
30 —	 	San	d. Fine grained; si	ilty, saturated						<u> </u>
_			Soil samples col		ously with dual t	ube sampler.				
			UNK - Unknown			Total Depth = 30'				
-			HSA - Hollow-st	em auger		Casing Diameter=2				
			DPT - Direct-pus	-						
-			NR - No Recover	-						

ppB EnviroSolutions

professional | practical | below-ground 712 S. Kansas Avenue, Topeka, Kansas

785.256.0045 | www.ppbenv.com



Boring Log: Sheet $1\ {\rm of}\ 1$

