

1 LOCATION OF WATER WELL
 County: Wyandotte Fraction: NE 1/4 SW 1/4 SE 1/4 Section Number: 14 Township Number: T 10 South S Range Number: R 24E E/W

Distance and direction from nearest town or city? 2 Miles North of Kansas City Street address of well if located within city? Norman Power Plant

2 WATER WELL OWNER: Sharp Bros. Contracting Co.
 RR#, St. Address, Box #: 1014 E. 19th St. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Kansas City, Missouri 64108 Application Number: 33,465


3 DEPTH OF COMPLETED WELL: 87 ft. Bore Hole Diameter: 16 in. to 87 ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 13 ft. below land surface measured on 10-12-79 month day year
 Pump Test Data: Well water was 24 ft. after 5 hours pumping 1000 gpm
 Est. Yield 1000 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X
 7 Fiberglass Threaded
 Blank casing dia. 12 in. to 57 ft., Dia in. to ft., Dia in. to 215 ft.
 Casing height above land surface: 60 in., weight 27 lbs./ft. Wall thickness or gauge No. 215

TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia. 040 in. to ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From ft. to ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From NONE ft. to ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From ft. to ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 RIVER
 Direction from well adjacent How many feet 20 ? Water Well Disinfected? Yes No X
 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year: Pump Installed? Yes X No
 If Yes: Pump Manufacturer's name Red Jacket Model No. 100.T.S.H. HP 25 Volts 460
 Depth of Pump Intake 80 ft. Pumps Capacity rated at 1000 gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 3 month 19 day 1980 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 387
 This Water Well Record was completed on 3 month 29 day 1980 year under the business name of Moretrench American Corporation by (signature) [Signature]

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG
0 12 Casing Removed
12 87 Grouted in place
 ELEVATION: 750

Depth(s) Groundwater Encountered 1. 13 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
EW
SEC.
NE 1/4 SW 1/4 SE 1/4