


1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 SW 1/4 Section Number 27 Township Number T10S S Range Number R25 EW  
 County: WYANDOTTE

Distance and direction from nearest town or city street address of well if located within city?  
200 FUNSTON ROAD, KANSAS CITY, KANSAS

2 WATER WELL OWNER: H.B. FULLER COMPANY  
 RR#, St. Address, Box #: 4200 1200 WILLOW LAKE BLVD. Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: ST. PAUL, MINNESOTA 55110 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: 20 ft. ELEVATION: 742.40  
 Depth(s) Groundwater Encountered: 1. 15 ft. 2. \_\_\_\_\_ ft. 3. \_\_\_\_\_ ft.  
 WELL'S STATIC WATER LEVEL: N.M. ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield \_\_\_\_\_ gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Bore Hole Diameter: \_\_\_\_\_ in. to \_\_\_\_\_ ft., and \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW-7  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No X; If yes, mo/day/yr sample was submitted \_\_\_\_\_  
 Water Well Disinfected? Yes \_\_\_\_\_ No X

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued \_\_\_\_\_ Clamped \_\_\_\_\_  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded \_\_\_\_\_  
 7 Fiberglass Threaded \_\_\_\_\_  
 Blank casing diameter: 2 in. to 10 ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface: \_\_\_\_\_ in., weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. \_\_\_\_\_  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) \_\_\_\_\_  
 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) \_\_\_\_\_  
 SCREEN-PERFORATED INTERVALS: From 20 ft. to 10 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 0 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other \_\_\_\_\_  
 Grout Intervals: From 0 ft. to 2 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
STORAGE TANKS  
 Direction from well? \_\_\_\_\_ How many feet? \_\_\_\_\_

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5.5	GRAY MOIST, SILTY CLAY			
5.5	10	LIGHT BROWN TO RED BROWN, MOIST, LOOSE <del>UNGRAINED</del> FINE-GRAINED SAND			
10	15	GRAY, MOIST, MEDIUM STIFF SILTY CLAY			
15	20	BROWN, WET, LOOSE FINE-TO-MEDIUM-GRAINED SAND			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/1/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 568 This Water Well Record was completed on (mo/day/yr) \_\_\_\_\_ under the business name of MAXS by (signature) David Smith

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T  
R  
EW  
SEC  
1/4  
1/4  
1/4


WATER WELL RECORD Form WWC-5 KEA 82a-2212

1 LOCATION OF WATER WELL
County: WYANDOTTE
Fraction: SE 1/4, SE 1/4, SW 1/4
Section Number: 27
Township Number: 10 S
Range Number: R 25 E

200 FUNSTON ROAD, KANSAS CITY, KANSAS

2 WATER WELL OWNER: H.B. FULLER COMPANY
City: ST. PAUL, MINNESOTA 55110
Application Number: 742.40

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX
DEPTH OF COMPLETED WELL: 20
ELEVATION: 742.40



WELLS STATIC WATER LEVEL: NM
WELL WATER TO BE USED AS: 10 Monitoring well
Water Well Disinfected? Yes No X

4 TYPE OF BLANK CASING USED
1 Steel 2 PVC
3 RMP/USR 4 ABS
5 Wrought iron 6 Concrete tile
7 Fiberglass 8 Other specify below

Blank casing diameter: 10
Casing height above land surface: 2

TYPE OF SCREEN OR PERFORATION MATERIAL
1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel
5 Fiberglass 6 Concrete tile 7 DUC 8 RMP/USR 9 ABS 10 Asbestos cement 11 Other (specify) 12 None used (open holes)

SCREEN OR PERFORATION OPENINGS ARE
1 Continuous slot 2 Covered slotted 3 Mills set 4 Key punched
5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open holes)

SCREEN PERFORATED INTERVALS: From 20 to 10
GRAVEL BACK INTERVALS: From 20 to 0

5 GROUT MATERIAL
1 Neat cement 2 Cement grout 3 Hemlock 4 Other
Grout intervals: From 0 to 2

What is the nearest source of possible contamination?
1 Septic tank 2 Sewer lines 3 Wastight sewer lines 4 Latrine lines 5 Cess pits 6 Surface water 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well Gas well 16 Other (specify below)

Direction from well? FROM TO
FROM TO

LITHOLOGIC LOG
0 5.5 GRAY MOIST, SILTY CLAY
5.5 10 LIGHT BROWN TO RED BROWN, MOIST, LOOSE MEDIUM-FINE GRAINED SAND
10 15 GRAY, MOIST, MEDIUM STIFF SILTY CLAY
15 20 BROWN, NGT, LOOSE FINE TO MEDIUM-GRAINED SAND

PLUGGING INTERVALS
39 08 35.84
94 36 52.12
39.1433
94.6145

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION
This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (the day year) 4/11/48

Water Well Contractor's License No. 568
under the business name of: MAXS

This Water Well Record was completed on (the day year) 4/11/48 by (signature) David H. ...