


1 LOCATION OF WATER WELL: Fraction SW 1/4 SW 1/4 SW 1/4 Section Number 27 Township Number T 10 (S) Range Number R 25 (E)  
 County: Wyandotte

Distance and direction from nearest town or city street address of well if located within city?  
1/2 Block North of Funston Rd & Brinkerhoff Rd. Kansas City, KS 66115

2 WATER WELL OWNER: Dow Chemical Corp.  
 RR#, St. Address, Box #: P.O. Box 8361 - 3200 Kanawha Turnpike  
 City, State, ZIP Code: South Charleston, WV 25303  
 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL 36.0 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1 26.0 ft. 2 ..... ft. 3 ..... ft.  
 WELL'S STATIC WATER LEVEL ..... ft. below land surface measured on mo/day/yr .....  
 Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm  
 Est. Yield ..... gpm: Well water was ..... ft. after ..... hours pumping ..... gpm  
 WELL WATER TO BE USED AS:  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden)  Monitoring well .....  
 5 Public water supply 8 Air conditioning 11 Injection well  
 Was a chemical/bacteriological sample submitted to Department? Yes ..... No  .....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  5 Wrought iron  8 Concrete tile CASING JOINTS: Glued ..... Clamped .....  
 2 PVC  4 ABS  6 Asbestos-Cement  9 Other (specify below) Welded .....  
 7 Fiberglass Threaded  X  
 Blank casing diameter ..... in. to 21 ft., Dia ..... in. to ..... ft., Dia ..... in. to ..... ft.  
 Casing height above land surface 24 in., weight ..... lbs./ft. Wall thickness or gauge No. Sch. 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless Steel  5 Fiberglass  8 RMP (SR)  10 Asbestos-Cement  
 2 Brass  4 Galvanized Steel  6 Concrete tile  9 ABS  11 Other (Specify) .....  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  5 Mill slot  6 Wire wrapped  8 Saw cut  11 None (open hole)  
 2 Louvered shutter  4 Key punched  7 Torch cut  9 Drilled holes  10 Other (specify) ..... ft.  
 SCREEN-PERFORATED INTERVALS: From 21 ft. to 36 ft., From ..... ft. to ..... ft.  
 GRAVEL PACK INTERVALS: From 36 ft. to 19 ft., From 19 ft. to 17 ft.

6 GROUT MATERIAL:  Neat cement  Cement grout  3 Bentonite  4 Other .....  
 Grout Intervals: From 7 ft. to Surface ft., From 17 ft. to 7 ft., From ..... ft. to ..... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  Other (specify below)  
Old Air Sparge Piles  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Lean Clay, Dry, Brown, Hard			
5	10	Lean Clay, Moist, DK Brown, Silty			
10	20	Lean Clay w/trace Fine Sand, Moist			
20	30	Med to Fine Grained Sand, Wet, DK Gray			
30	36	Wet, DK Gray Fine Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) 11-10-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 606 This Water Well Record was completed on (mo/day/yr) 11-13-04 under the business name of PSA Environmental by (signature) 