CORRECTION(S) TO WATER WELL RECORD (WWC-5)

11 14

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range: 27-405-25E	27-105-25E
Fraction (1/4 1/4 1/4): SW	SWSWNW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Well address, city	map, and
North Kansas City 1:24,000	topo. map.
,	initials: DRL date: 3/7/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

r		ATER WELL REC	ORD Form WWC-	5 KSA 82a	-1212 ID No	<u>. 50- 8</u>	57	
1 LOCATION OF		Fraction	C . C		ction Number	Township N	- 1	Range Number
County: WYAN		1/4			7	T 40	S	R 25 (E)W
	on from nearest to ZN KER HOP		address of well if locate	d within city?	///			
	WNER: Jerrar			001230	X (26)		مالاه	
i .	WILL STOP	MUT, U	brik 3:	200/330	destro IV	sha Tun	HRE	
RR#, St. Address, B City, State, ZIP Code		N D COIDE	re way w	MIT I CHO	25303	 Board of A Application 		vision of Water Resources
3 LOCATE WELL'S		4 DEPTH OF C	OMPLETED WELL					
AN "X" IN SECTIO				1	ft.	2	ft. 3 .	ft.
	N	WELL'S STATION	C WATER LEVEL 2.6	∞	ow land surface	measured on m	o/day/yr	
		Pur	mp test data: Well wa	ter was	ft. af	ter	hours pu	mping gpm mping gpm
NW	NE			Public water		8 Air conditionin		mping gpm ection well
		1 Domestic	3 Feedlot 6	Oil field wate	r supply	9 Dewatering		her (Specify below)
W	E	2 Irrigation	4 Industrial 7	Domestic (lav	wn & garden) 1	Monitoring we		
0144								XTRA ETION
SW	SE	Was a chemica mitted	al/bacteriological sample	e submitted to		esNo ter Well Disinfect		o/day/yrs sample was sub- No
×	i	milled			vva	ter wen Disiniect	eu: ies	NO
5 TYPE OF BLAN	S K CASING USED:		E 14/			0.400.10		
1 Steel	R CASING USED: 3 RMP (SI		5 Wrought iron 6 Asbestos-Cement	8 Concr 9 Other	ete tile (specify below)			Clamped
2 PVC	4 ABS	•	7 Fiberglass				Threa	ded
Blank casing diamet	er	in. to	ft., Dia .		in. to	ft., Di	a	ft. in. toft.
Casing height above			in., weight	_		bs./ft. Wall thickn	ess or guage	NoSCA 40
TYPE OF SCREEN			5 Ethansland		-		bestos-Ceme	
1 Steel 2 Brass	3 Stainles 4 Galvaniz		5 Fiberglass 6 Concrete tile	9 AE	MP (SR) SS		ner (Specify) ine used (ope	en hole)
SCREEN OR PERF				azed wrapped		8 Saw cut		11 None (open hole)
1 Continuous sl	_	fill slot		e wrapped		9 Drilled holes		11 None (open note)
2 Louvered shu	~	(ey punched	7 Tore	ch cut		10 Other (speci	fy)	ft.
SCREEN-PERFORA	ATED INTERVALS:		.5ft. to	20	ft., From .		ft. to .	ft.
CDAVEL I	PACK INTERVALS	From	ft. to	112	ft., From	•••••	ft. to .	ft.
GRAVELI	ACK INTERVALS	From	7ft. to		ft., From		n. 10 . ft. to .	
	80/20	<u> </u>						
6 GROUT MATER		t cement	ement grout	3 Ben				
Grout Intervals: F What is the nearest	/ /	ft. to	ft., From	ft. 1				. ft. toft.
1 Septic tank	•	ral lines	7. Dit priva		10 Livesto	•		andoned water well I well/Gas well
2 Sewer lines	5 Cess		7 Pit priv	•	11 Fuel sto	•		her (specify below)
	wer lines 6 Seep	•	8 Sewag 9 Feedya			cide storage		? Soure TA
Direction from well?		sago pri	0 . 00dy0		How many	•	BLOG	
FROM TO		LITHOLOGIC	LOG	FROM	то		UGGING INT	ERVALS
0' 18.2	1 Alluvía	1 Silts +	0/445	 				
18.2 35			fine to					
	modi	•						
								-
7 CONTRACTOR'S	OR LANDOWNF	R'S CERTIFICAT	TION: This water well	was M constr	ucted, (2) recor	structed, or (3)	olugged unde	er my jurisdiction and was
completed on (mo/dag	y/year)	15-OF	11-11-04					wledge and belief. Kansas
Water Well Contracto	r's Licence No		This Wate				14-	Up '/
under the business n	ame of	4x5			by (si	ignature)	Wal B	une
			IRMLY and <u>PRINT</u> clearly. Plea on St., Suite 420, Topeka, Kans					Kansas Department of Health
	or each <u>constructed</u> well.		эт оп, оште чео, торека, капа	,us 00012-1307. 18	iehiinie / 00-580-005	LE. Send One to WATE	TO WELL OWNER	and retain one for your