## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

1.1 1 1/

Location listed as:	Location changed to:
Section-Township-Range: 27 - 40 5-25E	27-105-25E
Fraction ( 1/4 1/4 1/4): <b>SW</b>	SW SW NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Well address, city	<b>,</b>
North Kansas City 1:24,000	topo. map.
	initials: DRL date: 3/7/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WAT		TER WELL REC	ORD Form WWC-5	KSA 82a-1	212 ID No	<u>. SV-</u>	<u> </u>		
1 -00/11/01/01 ///11		Fraction		Sect	ion Number	Townshi	p Number	Range Nu	mber
County: WYAND	OTTE	1/4	SW 1/4 SW 1/4		27	T 40	<b>)</b> s	1 R Z5	<b>@</b> W
Distance and direction fr	om nearest tow	n or city street a	ddress of well if located v	vithin city?		•			
3126 Brz	NKERH	IFF RA	KC K	C 61	6115				
2 WATER WELL OWN						alugn	Timá	ke,	
RR#, St. Address, Box # City, State, ZIP Code	Hair	Capile	Corp. S	SUCH CITY	orteston 1	<b>从V</b> Board o	f Agriculture, tion Number:	Division of Water	Resources
3 LOCATE WELL'S LOC			OMPLETED WELL	<del></del>					
AN "X" IN SECTION B		_ Depth(s) Groun	dwater Encountered 1	. <u></u>	ft.	. 2	ft. :	3	ft.
111	1		WATER LEVEL <b>Z.4</b>						
1	1		gpm: Well water						
NW -	- NE			ublic water s		8 Air condition	ning 11	njection well	
		1 Domestic		il field water		9 Dewatering	معتبي المعتبي	Other (Specify bel	ow)
W i	<del> </del>	2 Irrigation	4 Industrial 7 D	omestic (law	n & garden)	10 Monitoring	Well <b>Y. J. J. J.</b>	sparg	•••••
1	<u> </u>							XTRACTZ	
SW	- SE		l/bacteriological sample s	ubmitted to D	•				
<b>X</b>		mitted			VV	ater Well Disinf	ected? Yes	N	0
S									
5 TYPE OF BLANK CA			5 Wrought iron	8 Concre				ed Clampe	
1 Steel	3 RMP (SF	,	6 Asbestos-Cement		specify below			dedeaded	
<b>€</b> PVC	4 ABS		7 Fiberglass					•	
			ft., Dia in., weight						
		•	in., weight	<b>⊘</b> PV0			Asbestos-Ce		<del></del>
TYPE OF SCREEN OR  1 Steel	3 Stainless		5 Fiberglass		P (SR)			y)	
2 Brass	4 Galvaniz		6 Concrete tile	9 ABS			None used (c		
SCREEN OR PERFORA	ATION OPENIN	IGS ARE:	5. Guaze	ed wrapped		8 Saw cut		11 None (open	hole)
1 Continuous slot	(3)Mi		6 Wire v			9 Drilled ho			•
2 Louvered shutter	~	ey punched	7 Torch	cut		10 Other (sp	ecify)		ft.
SCREEN-PERFORATE	D INTERVALS:	From	<b>3</b> /ft. to	16	ft From		ft. t	o	ft.
		From	ft. to ft. to		ft., From		ft. t	o	ft.
GRAVEL PAC	K INTERVALS:		ft. to	( * ·	.S ft., From		ft. t	0	ft.
Ø			II. IO		<b>5</b> π., From		IL. I	o	IL.
	5/20	From	7	~					
6 GROUT MATERIAL	5/20 : 1 Neat		2 Sement grout	3 Bento					
6 GROUT MATERIAL Grout Intervals: From	17 70 -	cement		3 Bento	onite 4	4 Other		ft. to	
	13/2	cement ft. to	2 sement grout	3 Bento	onite 4	4 Other			ft.
Grout Intervals: From What is the nearest sou	13/2	cementft. to	Sement grout  O ft., From	3 Bento	onite 4	4 Other ft., From .	14	ft. to	ft.
Grout Intervals: From What is the nearest sou	rce of possible	cementft. tocontamination:	2 sement grout	3 Bentoft. to	onite 4 010 Livest 11 Fuels	4 Other tt., From tock pens	14 15	ft. toAbandoned water Oil well/Gas well Other (specify bel	ft. well ow)
Grout Intervals: From What is the nearest soul 1 Septic tank	rce of possible 4 Later 5 Cess	cementft. to	ement grout  ft., From  7 Pit privy	3 Bento	10 Livest 11 Fuel s 12 Fertili	4 Other	14 15	ft. to Abandoned water Oil well/Gas well	ft. well ow)
Grout Intervals: From What is the nearest soul 1 Septic tank 2 Sewer lines	rce of possible 4 Later 5 Cess	cementft. to	2 sement grout 2 ft., From	3 Bento	10 Livest 11 Fuel s 12 Fertili	4 Other	14 15	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer	rce of possible 4 Later 5 Cess	cementft. to	7 Pit privy 8 Sewage la	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 16 FORA	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	rce of possible 4 Later 5 Cess lines 6 Seep	cement ft. to contamination: al lines pool age pit	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIC SI//S	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5'	rce of possible 4 Later 5 Cess lines 6 Seep	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS +	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect	4 Other	14 15 (B) FORM BLO	ft. to	ft. well ow)
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5' 16.5' 31'	rce of possible 4 Later 5 Cess lines 6 Seep  Alluvial Alluvial	cementft. to contamination: al lines pool age pit  LITHOLOGIO SILTS Y SIND	Pit privy 8 Sewage la 9 Feedyard	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect How man	4 Other  ft., From  tock pens storage zer storage ticide storage ny feet?	14 15 FORA BLD PLUGGING I	mft. to	well ow) E JN
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5' 16.5' 31'  CONTRACTOR'S OF	rce of possible 4 Later 5 Cess lines 6 Seep  Alluvia I Alluvia I Alluvia I Alluvia I	cementft. to contamination: al lines pool age pit  LITHOLOGIO S.//f.S./f	7 Pit privy 8 Sewage la 9 Feedyard LOG Clay S	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect How man	4 Other  ft., From  tock pens storage zer storage ticide storage ny feet?	14 15 FORA BLD PLUGGING I	mft. to	well ow) E JN
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5' 16.5' 31'  CONTRACTOR'S OF completed on (mo/day/ye	rce of possible 4 Later 5 Cess lines 6 Seep  Alluvia I Alluvia I Alluvia I Alluvia I Alluvia I Alluvia I	cementft. to	7 Pit privy 8 Sewage la 9 Feedyard LOG Clay S	3 Bento	10 Livesi 11 Fuel s 12 Fertili 13 Insect How man	4 Other tt., From tock pens storage zer storage ticide storage ny feet?	14 15 FORA BLO PLUGGING I	mft. to	well ow) E JN
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5' 16.5' 31'  CONTRACTOR'S OF completed on (mo/day/ye	rce of possible 4 Later 5 Cess lines 6 Seep  Alluvis I A	cementft. to	7 Pit privy 8 Sewage la 9 Feedyard LOG Clay S Fine Clay S	3 Bento	10 Livest 11 Fuel s 12 Fertili 13 Insect How man TO  cted, (2) recommendation and this rewas complete	4 Other tt., From tock pens storage zer storage ticide storage ny feet?	14 15 FORA BLO PLUGGING I	mft. to	well ow) E JN
Grout Intervals: From What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?  FROM TO 16.5' 16.5' 31'  CONTRACTOR'S OF completed on (mo/day/ye Water Well Contractor's under the business name INSTRUCTIONS: Use typew	rce of possible 4 Later 5 Cess lines 6 Seep  Alluvis I A	cementft. to	7 Pit privy 8 Sewage la 9 Feedyard LOG Clay S Fine Clay S	3 Bento	ted, (2) recommended this rewas complete by (erline or circle the	tock pens storage zer storage ticide storage yetet?	14 15 FORM BLO PLUGGING I  3) plugged ur ne best of my l r)	mder my jurisdictic	n and was ief. Karsas