		WA	TER WELL REC	ORD	Form WWC-5	6 KSA 82a	-1212 ID I	No					
		TER WELL:	Fraction	481./		I	ction Number		nship Nun	nber	Re	ange Num	ber
	Wyan		NE 14				24	T	10	s	R	പ്പാ	
Uistance a	na direction	from nearest to	wn or city street a		Kansa		VC	66115	_				
<u>.</u>	R WELL OW		ernationa		nar va	5 6171	_1\	Q Q 11-	•				
 RR#, St. A City, State	ddress, Box , ZIP Code	#	ragon D	_		vale N	J 676	Boa App	rd of Agrid		ivision of	Water Re	sources
3 LOCATE	WELL'S LO		4 DEPTH OF C		ED WELL	30	ft. ELEV	ATION:					
AN "X" I	N SECTION N	BOX:	Depth(s) Grour WELL'S STATION	ndwater E	ncountered	J		ft. 2		ft. 3	, –		ft.
	1 1	ï	WELL'S STATIO	C WATEH	ta: Well wat	er was	ow land surfa	after	d on mo/d	ay/yr . hours bu		2.0	 apm
_	-Nw	- NE	Est. Yield	 gp	m: Well wat	er was	ft.	after		. hours pu	umping		gpm
	1	1	WELL WATER 1 Domestic			Public water Oil field wate		8 Air cond 9 Dewate		11 In			w)
w -	X ¹	E	2 Irrigation	4 In	dustrial 7	Oil field wate Domestic (la	wn & garden)	Monitor	ing well	mp-	-6 `		
		05							\ <u>/</u>				
_	-sw	- SE 	Was a chemica mitted	ıl/bacterio	bacteriological sample submitted to Department? Yes No,; If yes, mo/day/yrs sample was sub Water Well Disinfected? Yes No								
5 TYPE	OF BLANK	CASING USED:		5 Wrou	aht iron	8 Concr	ete tile	CASI	ING JOIN	TS: Glue	1	Clamped	
	el	3 RMP (SI		6 Asbes	stos-Cement		(specify belo		110 00111	Welde	ed		
E)PVC		4 ABS	: 4	7 Fiber	•		·····						
Casing hei	ng diameter ight above la	and surface	Jushmovn	in. w	weight	ch 40	in. to	lbs /ft Wall	π., Dia I thickness	or quad	In e No	. to	tt.
		R PERFORATIO		•	olgi k	(7) \		100./11. ***	10 Asbes				
1 Stee		3 Stainless		5 Fiber		8 RM	ИР (SR)						
2 Bras		4 Galvaniz		6 Conc		9 AE	55	0.0	12 None	usea (op	,		-1->
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot					5 Guazed wrapped 6 Wire wrapped			8 Saw cut 9 Drilled ho			11 None (open hole) les		
	vered shutte		ey punched	. –	7 Toro			10 Other	(specify)				ft.
SCREEN-	PERFORAT	ED INTERVALS:		15	ft. to	30		n					
(GRAVEL PA	CK INTERVALS	From:	13	π. το	30	ft., Fron	nn		ft. to			ft.
			From		ft. to		ft., Fron	n		ft. to			ft.
6 GROU	JT MATERIA	AL: 1 Nea	t cement	2 Cer	ment grout	3 Ben	tonite	4 Other					
Grout Inter	vals: From	m 	ft. to	3 ft.	, From	ft.	to	ft., Fro	m		ft. to		ft.
		urce of possible	contamination:				10 Lives	stock pens		14 AI	bandone	d water we	ell
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel		15 Oil well/Gas well 16 Other (specify below)					
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					8 Sewage lagoon9 Feedyard		12 Ferti 13 Inse		Contaminated Site				
Direction fr	•		ago pa		o i obaya	. •		iny feet?	, -				
FROM	ТО		LITHOLOGIC	LOG		FROM	то		PLUG	GING IN	rervals	3	
_0	.4	Aspl	halt										
<u>• 4</u>	3	Lean	clay till		^								
<u> </u>	12	160-ly	Sorted	grave	L								
n	30	Sane	I Well S	- Lod									
		2000											
- 1													
△ CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICATION	TION: Thi	s water well v	vas (1) constru	ucted, (2) rec	constructed,	or (3) plug	ged und	er my jur	isdiction a	and was
completed (Water Well	on (mo/day/y Contractor's	ear) Licence No	n.i.yo	110	This Wate	r Well Record	and this re	ecord is true t ed on (mo/da	to the best	of my kn	DO, OF	and belief.	Kansas
	usiness nan	ne of 1301.	w Groun	150	ur face	In.	-	(signature)	11/5/	27		_	
		ewriter or ball point pe	n. <i>PLEASE PRESS F</i>		RINT clearly. Pleas	se fill in blanks, und	derline or circle th	e correct answer					
		of Water, Geology Se- each constructed well.	ction, 1000 SW Jackso	on St., Suite	120, Topeka, Kans	as 66612-1367. Te	lephone 785-296-	5522. Send one	to WATER W	ELL OWNE	₹ and retain	one for your	,