CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Wyan dotte Location changed to:					
Section-Township-Range: 34-105-25E	35-105-25E					
Fraction (1/4 1/4 1/4):	W2 5W NW 5W					
Other changes: Initial statements:						
Changed to:						
Comments:	·					
verification method: Map of well locations	from owner, and					
verification method: Map of well locations North Kansas City 1:24,000	2 topo, map.					
	initials: ORL date: 9/14/2005					

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	VVA	ATER WELL REC	CORD Form WWC-5	KSA 82a-1	1212 ID No	PZ 423	
1 LOCATION OF WA		Fraction	<i>C</i>		tion Number	Township Number	er Range Number
County: Wyan	dotte	1 1214	SE 14 SE	1/4	34	т /О	$S \mid R \stackrel{?}{\sim} \widehat{S} \stackrel{?}{\sim} \widehat{E}W$
		wn or city street	address of well if located	within city?	•••		
2029	Fointa	x NYS	66115	•			
2 WATER WELL OW	NER:	o Phillips	c Can sond				
BB# St Address Boy	# · 12/6	Ohillias	s Company Big 4205 Ke	olor AU	e	Poord of Agricul	ture Division of Water Becourses
City, State, ZIP Code	" 1010	Harris I	OK 74004	,		Application Num	ture, Division of Water Resources
3 LOCATE WELL'S LO	· <i>Dar</i>	11 e301 110	COMPLETED WELL	35′	ft FI FVAT		
AN "X" IN SECTION			Indwater Encountered				ft. 3 ft.
N N	БОХ.						
	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	1						ours pumping gpm
	NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
	i _	1 Domesti		Oil field water			2 Other (Spectry below)
W	 E	2 Irrigation	1 4 Industrial 7	Domestic (law	vn & garden) 🕻	10 Monitoring well	
	1						
SW -	- SE		al/bacteriological sample	submitted to I			yes, mo/day/yrs sample was sub-
	x :	mitted			Wa	ater Well Disinfected?	es No
S	1						
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS	S: Glued Clamped
1 Steel	3 RMP (S		6 Asbestos-Cement		(specify below)		Welded
⊘ PVC	4 ABS	11	7 Fiberglass				Threaded
		~~~	-				ft.
Casing height above la	and surface	29"	in., weight			lbs./ft. Wall thickness of	or guage No
TYPE OF SCREEN O	R PERFORATIO	ON MATERIAL:		Ø₽V		10 Asbesto	s-Cement
1 Steel	3 Stainles		5 Fiberglass		1P (SR)	,	Specify)
2 Brass	4 Galvani	zed Steel	6 Concrete tile	9 AB	S	12 None us	sed (open hole)
SCREEN OR PERFO	RATION OPENI	NGS ARE:		zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot		Mill slot		wrapped		9 Drilled holes	6
2 Louvered shutte	er 4 K	Key punched	7 Torc		• •	· · · · · ·	ft.
SCREEN-PERFORAT	ED INTERVALS	6: From	ft. to	/3	ft., From		ft. toft.
CDAVEL DA	CK INTERVALS	From	ft. to	727	ft., From		ft. to
GRAVEL PA	UK IIVI ERVALS				π ⊢r∩m		11 10 11
1		From	ft to	·····/····	ft From		ft to ft
		From	ft. to		ft., From		ft. toft.
6 GROUT MATERIA		From	Cement grout	<b> ②</b> Bent	ft., From		ft. toft.
	AL: 1 Ņea	Fromat cement	Cement grout	<b>⊘</b> Bent	ft., From	1 Other	ft. to ft.
	AL: 1 Nea	Fromat cement ft. to	Cement grout	<b>⊘</b> Bent	ft., From	4 Other <b>2.</b>	ft. toft.
Grout Intervals: Fro	AL: 1 Nea	From at cement ft. to	Cement grout	<b>②</b> Bent ft. t	onite 400 Livest	1 Other <b>2.</b>	ft. to
Grout Intervals: Fro	AL: 1 Neam	Fromat cementft. toe contamination: eral lines	Cement grout  ft., From  7 Pit privy	<b>②</b> Bentft. t	tonite 200 miles 100 constant 100 constant 100 constant 110 constant 1	Other	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool	Cement grout	<b>②</b> Bent ft. t	tonite 400 consistency of the state of the s	1 Other <b>2.</b>	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool	Cement grout  ft., From  7 Pit privy 8 Sewage	<b>②</b> Bent ft. t	tonite 20	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	AL: 1 Neam	From at cementft. toe contamination: eral lines s pool page pit	Cement grout  ft., From  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool	Cement grout  ft., From  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t	tonite 20	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  ft., From  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7 7 2 /	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?  FROM TO 7 7 2 1 35	AL: 1 Neam	From at cement ft. to e contamination: eral lines s pool page pit LITHOLOGI	Cement grout  7 Pit privy 8 Sewage 9 Feedya	<b>②</b> Bent ft. t lagoon	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?  FROM TO 7 7 2 1 2 1 3 5	AL: 1 Neam	From  at cementft. to	Cement grout  7 Pit privy 8 Sewage 9 Feedya	GZBent ft. t	tonite 20	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?  FROM TO 7 7 2 1 2 1 3 5	AL: 1 Neam	From  at cementft. to	Cement grout  7 Pit privy 8 Sewage 9 Feedya	GZBent ft. t	tonite 20	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?  FROM TO 7 7 2 1 2 1 3 5	AL: 1 Neam	From  at cementft. to	Cement grout  7 Pit privy 8 Sewage 9 Feedya	GZBent ft. t	tonite 20	Other2	ft. to
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?  FROM TO 7 7 2 1 2 1 3 5	DR LANDOWNE year)	From  at cementft. to	Cement grout  This Water well was a common of the common o	GZBent ft. t	tonite 2 0	Other2	ft. to ft.  ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)  ING INTERVALS
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew: Direction from well? FROM TO 7 7 7 7 7 7 7 7 7 CONTRACTOR'S of completed on (mo/day/) Water Well Contractor' under the business nar INSTRUCTIONS: Use typ	DR LANDOWNE year)	From  at cementft. to	Cement grout  This Water well very series of the control of the co	PROM FROM FROM FROM FROM FROM FROM FROM F	tonite 2 0	Other	ft. to



	PROJECT NUMBER	BORING NUMBER				
Ì	321564.SI.01	PZ-423	SHEET	1	OF 1	

## **SOIL BORING LOG**

 PROJECT : Conoco	Phillips - Supple	emental SI	NORTHING: 309362.63 EASTING: 2275640.40				
ELEVATION: 748.6	88 ft b.t.o.c.		DRILLING CONTRACTOR : Max's Enterprises Inc.				
DRILLING METHOD		NT USED : CME 7	750 Rig, HSA LOGGER : E. Molander				
WATER LEVELS : 2			START : 11/01/04 1425	END: 11/01/04 1520			
DEPTH BELOW SURF		STANDARD	SOIL DESCRIPTION	COMMENTS			
INTERVAL (FT)  RECOVERY (FT)  #/TYPE		RESULTS	SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY,	DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS,			
		6"-6"-6"	OR CONSISTENCY, SOIL STRUCTURE,	TESTS, AND INSTRUMENTATION. Notes			
-		(N)	MINERALOGY.  0.0': Silty clay with sand and gravel (fill) (CL),	Notes			
No Soil Sam	npling		brown, well graded, plant debris				
-			-	-			
_		1	4.0': Gravelly sandy silty clay (CL), brown, loose,	.  _			
5_			well graded				
-			_				
-			-	-			
_			7.0': Silty clay (CL), dark gray, moist, slight odor	_			
_			8.0': Elastic silt (MH), gray, very moist, odor				
			9.0': Elastic silt (MH), gray, wet, sheen, visible				
		1	product, strong odor, mositure decreases with depth	]			
10			-	i —			
-			-	-			
			<b>i</b> .	_			
_]			<u> </u>	-			
-			-	-			
15			_				
_			16.0': Silty sand with some clay (SM), gray,	_			
			strong odor				
-				_			
-			-	-			
-			-	-			
20			_	·			
			21.0': Poorly graded sand (SP), gray, odor				
-			and it sony graded dana (or ), gray, each	1 -			
-			-	-			
_			-	-			
				_			
25							
25_			-	-			
_			26.0': Encounter water				
_			27.0': Sheen, strong odor, visible product	_			
-				-			
_				-			
35			34.0': End of boring				
30_							

