CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)							
Location listed as:	County: Wyandotte Location changed to:						
Section-Township-Range: 27-405-28-E	27-105-25E						
Fraction (4 4 4):	<u> 50 50 50</u>						
Other changes: Initial statements.							

Changed to: Comments: North Kausas City 1:24,000 topo. map. verification method: initials: DR date: 9/28/2005

submitted by: Kansas Goological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	WATER WELL RE	CORD For	m WWC-5	KSA 82a	-1212 ID No	Sr-9	-98			
1 LOCATION OF WATER WELL:	Fraction	<i>~</i> ,		Se	ction Number	Township N	umber	Range Nu	-	
County: WYANDOTTE	······································	4 SW 14			27	⊤ 40	s	R 25	æ /w	
Distance and direction from nearest			II if located	l within city?	"					
	brome C:		113			inauna Te	IN AL			
C	hist torbid PO Bax	Carp		Solki	Charlesta 25303	Board of Ag	griculture, D	vision of Water	Resources	
3 LOCATE WELL'S LOCATION WI			WELL	37		TON:				
AN "X" IN SECTION BOX:		undwater Enco		1	ft.	2	ft. 3		ft.	
N						e measured on mo				
						fter				
NW NE	WELL WATER	R TO BE USED		Public water		8 Air conditioning		ection well	law)	
W	2 Irrigation			Oil field wate Domestic (la	, , ,	9 Dewatering 10 Monitoring well		ther (Specify bel	,	
				,	0 ,	J				
SW SE	Was a chemic	cal/bacteriologic	cal sample	submitted to	Department? Y	es No	; If yes, m	o/day/yrs sample	e was sub-	
	mitted				Wa	ter Well Disinfecte	ed? Yes	n a	ده	
S									· · · · · ·	
5 TYPE OF BLANK CASING USE 1 Steel 3 RMP		5 Wrought i 6 Asbestos		8 Conci	ete tile (specify below)			Clampe		
2 PVC 4 ABS	(Sh)	7 Fiberglas			(specify below)			edded		
Blank casing diameter	in. to	22	ft., Dia		in. to	ft., Dia	a	in. to	ft.	
Casing height above land surface	, , -	in., weig	ht	_		lbs./ft. Wall thickne	ess or guage	∍ No		
TYPE OF SCREEN OR PERFORA 1 Steel 3 Stain	TION MATERIAL:	5 Fiberglas	e		/C MP (SR)		estos-Cem	ent 		
. 5.55.	anized Steel	6 Concrete		9 AI			ne used (op			
SCREEN OR PERFORATION OPE	NINGS ARE:		5 Gua	zed wrapped		8 Saw cut		11 None (open	hole)	
	Mill slot		6 Wire 7 Torc	wrapped		9 Drilled holes	٨		ri.	
	Key punched	77				10 Other (specif	• •			
SCREEN-PERFORATED INTERVA		J	ft. to		ft., From . ft From		ft. to		ft.	
GRAVEL PACK INTERVA	ALS: From	37	ft. to	78	ft., From .		ft. to		ft.	
	From	20	ft. to	/	ft., From .		ft. to		ft.	
6 GROUT MATERIAL:	leat cement	Cemen	t grout	3 Ber	itonite 4	Other				
V —			om	ft.	to	ft., From		ft. to	ft.	
What is the nearest source of possi					10 Livesto	•		andoned water	well	
•	ateral lines ess pool		7 Pit privy8 Sewage		11 Fuel st	-		l well/Gas well	low)	
	eepage pit		9 Feedyar	•	12 Fertiliz	cide storage	16 0	ther (specify bel	OW)	
Direction from well?			o i oodya.	~	How many	Ū		•••••		
FROM TO	LITHOLOG	IC LOG		FROM	то	PLU	JGGING INT	ERVALS		
0 12 Ban 0	layey SI	J								
	Sandy Si	<u>/</u>						- 		
23 37 Ban :	sand									
						 				
								•		
			#1 #H					,-,		
								·		
CONTRACTOR'S OR LANDOW		ATION: This wa	ater well w	as (1) constr	ucted, (2) recor	nstructed, or (3) p	lugged und	er my jurisdiction	n and was	
completed on (mo/day/year)		2005				ord is true to the b			ef. Kansas	
Water Well Contractor's Licence No under the business name of		······································	This Water	Well Record	•	on (mo/dayyyr)	HUG !	6 2005		
and the basiness halle of	LX 5				by (s	iigilatule /	14 12	ump		

INSTRUCTIONS: Use typewriter of ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kanasa Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.