(to rectify lacking or incorrect information)								
Location listed as:	County: Wyandotte Location changed to:							
Section-Township-Range: 15-50N-33W								
Fraction (1/4 1/4 1/4): SE SE SW	NW SE NW							
Other changes: Initial statements:								
Changed to:								
Comments:								
· · · · · · · · · · · · · · · · · · ·								
verification method: Projection of legal des	cription over Kansas survey							
verification method: Projection of legal des system, and North Hansas Cit	1:24,000 topo-map.							

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WELI	5A		WATE	R WELL RECORD	Form WWC-5	KSA 82a	1212	
LOCATIO	ON OF WAT		Fraction		Sec	tion Number	Township Number	Range Number
	Wyandot		SE 1/4	SE 1/4 SV	74	15	T 50N 3	R 33 KW
Distance a	nd direction	from nearest tow	n or city street ac	ddress of well if located	d within city?			
Dono	ovan & I	ndustrial	Blvd., Kans	as City, Kans	as			
	WELL OW		llips Petro					
- RR#, St. <i>A</i>	Address, Box	# : P.O	. Box 15036	, •			Board of Agriculture,	Division of Water Resources
City, State,	, ZIP Code	: Kan	sas City, K	Cansas 66115			Application Number:	
LOCATE	WELL'S LC	CATION WITH		OMPLETED WELL	94	. ft. ELEVA	TION: 740±	
AN "X"	IN SECTION	BOX:						3
т Г	ī						face measured on mo/day/y	
II	1							umping gpm
-	- NW	NE	•				•	oumping gpm
.	1 1			•-				n. to
░ ₩ ├	- 				5 Public water			Injection well
-	i	i	1 Domestic	VAS 3 Feedlot			•	Other (Specify below)
-	- SW	SE	2 Irrigation				•	
	Y		•		-	-		s, mo/day/yr sample was sub-
<u> </u>			mitted	,			ter Well Disinfected? Yes	No
TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre			ed Clamped
1)Ste		3 RMP (S	R)	6 Asbestos-Cement		(specify below		Ided X
2 PV		4 ABS	•	7 Fiberglass			-,	eaded
Rlank casi	ng diameter	26	.in. to	ft Dia				. in. to ft.
Casing hei	iaht ahove la	nd surface 3 f	t. below	X weight 136.				No500 in.
		R PERFORATIO		. ##., Weight #.444	7 PV		10 Asbestos-cer	
1 Ste		3 Stainles		5 Fiberglass		IP (SR)		y)
2 Bra		4 Galvaniz		6 Concrete tile	9 AB		12 None used (• •
	-	ATION OPENIN			ed wrapped	_	8 Saw cut	11 None (open hole)
	ontinuous slo		lill slot	_	wrapped		9 Drilled holes	TT TIONS (OPON NOIS)
	uvered shutt		ey punched	7 Torch				
		D INTERVALS:				ft Fro		toft.
OONELIN	LIN ONA	D INTERIVACO.						toft.
(SRAVEL PAG	CK INTERVALS:						toft.
,	AIIAVEE I A	SK HATEHVALO.	From	_ ft. to		ft Fro		to ft.
6 GROUT	Γ MATERIAL	: 1 Neat		2 Cement grout	3 Renta			
Grout Inte								ft. toft.
		urce of possible		10, 110, 110, 11				Abandoned water well
	eptic tank		ral lines	7 Pit privy		11 Fuel		Oil well/Gas well
	ewer lines	5 Cess		8 Sewage lag			-	Other (specify below)
		er lines 6 Seep	•	9 Feedyard	0011		ticide storage	Care (specify below)
	rom well?	ei iiiles o Seel	age pit	5 reedyald		How ma	•	
FROM	TO		LITHOLOGIC	LOG	FROM	TO		OGIC LOG
3.0	15.0	Cement q						
15.0	94.0		ted sand &	gravel				
	74.0	CHILOT	cca para a	3_0.0_				
						 		
	ļ					-		
						 		
	L					L		
7 CONT	RACTOR'S	OR LANDOWNE	R'S CERTIFICAT				•	inder my jurisdiction and was
completed	on (mo/day	year)						knowledge and belief. Kansas
Water We	II Contractor	s License No.		This Water V	Vell Record wa	•	1 1 1 1 1 1 1 1	1.8785
	business na	-	e-Western (by (signa	ature) PTU	XWXW `
								the correct answers. Send top
three copi	es to Kansas and retain or	Department of H ne for vour recor	ealth and Environr ds.	ment, Division of Enviro	nment, Enviror	nmental Geolo	gy Section, Topeka, KS 6662	20. Send one to WATER WELL