(to rectify lacking or incorrect information)									
Location listed as:	County: Wyandotte Location changed to:								
Section-Township-Range: 22-50N-33W	35-105-25E								
Fraction (1/4 1/4 1/4):	52 52 NW								
Other changes: Initial statements:									
	WALL CONTRACTOR OF THE PROPERTY OF THE PROPERT								
Changed to:									
Comments:									

verification method: Projection of legal description onto Kansas

survey system, and North Kansas City 1:24,000 topo. map.

initials: DRL date: 10/3/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

N	KLL	# 13	WATER	R WELL RECORD	Form W	VC-5 KSA 82	a-1212			
		TER WELL:	Fraction			Section Number			Range Num	
		NOOTTE		NE 1/4			T 50	s(//)	R 33	ĘW)
stance an	d direction	from nearest tow	-	ddress of well if lo						
	WELL OW		PHILLIPS	PETROLE	UM	co.			d-1	-
	ddress, Bo ZIP Code	x # : 	BALTLES	VILLE, O	KLAHO	MA 740	DO 4 Board of Ag Application	Number:	rision of water F	
OCATE N "X" I	WELL'S L	N BOX:	Depth(s) Groundv WELL'S STATIC	water Encountered WATER LEVEL .	1 1/ 	7.0ft. ft. below land su	ATION: 2urface measured on after	ft. 3 mo/day/yr .		ft.
	- NW		Est. Yield	gpm: Well	water was .	ft.	after	hours pump	oing	gpm
* -	- SW	SE	1 Domestic	O BE USED AS: 3 Feedlot	6 Oil fiel		9 Dewatering	12 Ot	her (Specify bel	
Ĺ	1		2 Irrigation Was a chemical/b mitted	4 Industrial pacteriological sam		to Department?	YesNoX	; If yes, m	no/day/yr sample	
TYPE O	F BLANK (CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING JOIN	NTS: Glued .	Clamped	1
1 Ste	>	3 RMP (SF 4 ABS		6 Asbestos-Cem 7 Fiberglass				Thread	ed X	
	•						ft., Dia			-
				.in., weight			./ft. Wall thickness o			·
		R PERFORATION		E Eiborgloop	_	PVC PMP (SB)		estos-cement		
1 Ste 2 Bra		3 Stainless4 Galvanize		5 Fiberglass6 Concrete tile		RMP (SR)		e used (oper		
		RATION OPENIN			auzed wrapp		8 Saw cut		1 None (open	hole)
	ntinuous sk		ill slot		Vire wrapped		9 Drilled holes		in None (open	noic)
	vered shut				orch cut		10 Other (specify)	\		
		ED INTERVALS:	From			, O # Er	om			
J. I.E.E.I 4 1		EB IIII ENVALO.					om			
_	DAVEL DA	OK INTERVALO	From			π., Fr	om	11. 10.		ال
G	RAVEL PA	CK INTERVALS:								
			From	ft.			om			ft.
GROUT	MATERIA	L: 1 Neat o	ement	2 Cement grout	يكة	Sentonite 4	4 Other			
rout Inter	vals: Fro	m4,5	ft. to	ft., From	0	M. H 4.,	4 Other	• • • • • • • •	ft. to	ft.
hat is the	nearest s	ource of possible	contamination:			10 Live	estock pens	14 Aba	ındoned water v	vell
1 Sep	otic tank	4 Later	al lines	7 Pit privy	/	11 Fue	l storage	15 Oil	well/Gas well	
2 Sev	wer lines	5 Cess	pool	8 Sewage	agoon	12 Fer	tilizer storage		er (specify below	,
3 Wa	tertight sev	ver lines 6 Seep	age pit	9 Feedya	rd	13 Inse	ecticide storage		EFINERY	.
rection fr	om well?	•				How m	any feet? 40'		TBNK	
ROM	TO		LITHOLOGIC		FRC			LITHOLOGIC	WP.	
0	7.0	GREY	SILTY SI	9NO , 501	YE HY	DRUCALB			02	
7.0	25,0	GREY	SAND, C	UAKSK TO	PINE	TABLE	ITY OROCA.	RBONS	08	
						<u> </u>				
ompleted	on (mo/day	//year)		18-83		and this re-	constructed, or (3) p	st of my know	wledge and belie	
ater Well	Contractor	's License No	438				d on (mg/day/yr)			
nder the I	ousiness na	ame of KANS	AS CITY	TESTING	LABOX	ATURY by (sign	nature ((Xoz	Jans	
NSTRUCT	TIONS: Use	typewriter or ball	point pen, PLEAS	SE PRESS FIRML	Yand PRINT	clearly. Please fil	l in blanks, underline	or circle the	convect answers	. Send to
ree copie	s to Kansas	Department of He	ealth and Environn	nent, Division of Er	vironment, Er	vironmental Geo	logy Section, Topeka,	KS 66620.	end one to WAT	ER WEL
WNER a	nd retain o	ne for your record	ds.				,		ريکي،	
									17	