		WA	ATER WELL RE	ECORD Fo	rm WWC-5		-1212 ID N				
$\blacksquare$		ATER WELL:	Fraction			Section	n Number	Township N	umber	Range Number	
	Wyan		15E		4 NW	1/4 0	n Number	T 10	S	R 25 (E)W	
Distance a	and direction	n from nearest t	town or city stre	et address of	well if located	within city?	•				
2 WATER	R WELL OW	NER: De	neral 1	Motors.	- Fairf	<b>1</b> 1/	MU	V-116B			
RR#, St.	Address, Bo		Kindle	berger !	2md	~4	4		riculture, [	Division of Water Resource	
City, State	e, ZIP Code		insac (	KIN K		115		Application 1			
3 LOCAT	E WELL'S LO	OCATION WITH		COMPLETED	WELL	20'	ft FI FVA	ΓΙΟΝ: <del></del>			
	IN SECTIO			ındwater Enco						ft.	
	N									NA	
<b> </b>	1									oumping gpm	
$  \cdot  $	NWNE Est. Yield . M.A										
	Bore Hole Diameter9in. to										
l ∰ w ⊢	W E WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									_	
- "									Other (Specify below)		
_	SWSE 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
	344		Ĭ			-			4		
▼	1	1		al/bacteriological	sample submi	tted to Depa				no/day/yrs sample was sub	
E TYPE	S	040000000	mitted					Well Disinfected?		no No No	
$\vdash$		CASING USED:		5 Wrought in		8 Concrete				ed Clamped	
1 Stee		3 RMP (S	H)	6 Asbestos		,	pecify below	,		led	
2 PV		4 ABS	,	7 Fiberglass					Thre	aded	
Blank ea	<del>sin</del> g diamete	er . <b>2"P.V.S.</b>	in. to	<b>70 ≀</b> ⊃ft.,	Dia <del></del>	···in. to	o <del></del>	ft., Dia	. <del></del>	in. to	
Casing h	eight above	land surface		. in., weight	<del></del>		lbs./f	t. Wall thickness o	or gauge N	lo <del></del>	
TYPE O	F SCREEN	OR PERFORA	TION MATERIA			7 PVC	P	10 Asb	estos-cem	ent	
1 Steel 3 Stainless steel				5 Fiberglass		8 RMP	(SR)			r (specify)	
2 Bra		4 Galvani:		6 Concrete tile 9 AB				12 None	used (open hole)		
		ORATION OPE		5 Gauzed wrapped						11 None (open hole)	
Į.	ntinuous slo		lill slot					9 Drilled holes			
	vered shutt		ey punched	اء دا	7 Torch cu				•	ft.	
SCREEN	I-PERFORA	TED INTERVA		ج. ۱۳۰۰	. ft. to 🏂 🛦	<i>5.</i> ,				o	
	CDAVEL D	PACK INTERVA	From	44.5	. tt. to	,	ft., From		ft. t	o	
	GRAVEL	ACK INTERVA								ο	
O O DOLL	T MATERIA									FLUSH MOUNT	
elem in	T MATERIA			2 Cement g		3 Bentonite		ther correct			
1					rom ۶۰۰	. <b>≯</b> ft. to		ft., From	-	-	
What is the nearest source of possible contam							10 Livestock pens			bandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fuel s	ū		il well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)			other (specify below)	
3 Wat	tertight sew	er lines 6 Seep	age pit	9 Feedyard			13 Insecticide storage				
Direction	from well?						How many feet?				
FROM	ТО	1	LITHOLOGIC L	_OG		FROM	ТО	PLU	GGING IN	ITERVALS	
0	2	ASPHALT	+ CLUBHED	STORE +	FILL						
2'	10'	BROWN &	LAYWITH		<b>&gt;</b>				1		
10'	44	BARUN +		TO MED SI	m)			11/1	7		
44'	60'	BROWN +	GRAN FINE					10	<i></i>		
*/		grant I	1017 / 100	2 10 0011-31				/			
			<u> </u>								
					-						
<u> </u>	+										
		-									
7 001170	MOTORIO :	D I ANDONY	DIO OFFICE	TION TO							
			H'S CERTIFICA	ATION: This wa	iter well was					der my jurisdiction and was	
		//year)	12-20							owledge and belief. Kansas	
l .		's Licence No		This	Water Well R	ecord was	completed o	n (mo/day/yr)	2~	6-06	
under the	business na	me of Horr	iss Unil	hns. Go	- 2011V	Inc.	by (sig	nature)	VAV. C	lanes	
INSTRUC	TIONS: Use type	ewriter or ball point per	n. PLEASE PRESS F	IRMLY and PRINTS	early. Please fill in	blanks, underlin	e or circle the co	rect answers. Send ton t	hree copies to	Kansas Department of Health and	
								your records. Fee of \$5.0			