70-	4		WA	TER WELL	RECOR	D Form	WWC-5	KSA 82a-	1212 ID N	Io. MP	ELA	s -3	2	
	TION OF WA			Fraction	`			Sec	ction Number	To	wnship N	umber	Range Nu	
	Wyand			hm		1W 1/4			35	<u> </u>	10	<u>s</u>	R 25	<b>O</b> W
Distance a	and direction	A		_		4			1/1	دا				
2 WATE	HOI DW		ond			Kansa		YIKS	> 601	1>				
1	R WELL OW Address, Box	# · L.	age	10000	(Pelly 10sh Di	a comp	any			D.	oard of Ac	riculture F	Division of Water F	2ecources
	, ZIP Code	"	CONS	مع کر	tv. k	S 1001	115				pplication		Division of water i	lesources
		CATION	WITH	4 DEPTH	OF COM	IPLETED W	ELL	?,.S	ft. ELEVA	TION:	743			
	N SECTION			Depth(s) (	Groundw	ater Encoun	tered 1		f	t. 2		ft. 3		ft.
	N	1	7	WELL'S S									oumping	
	1	1		Est. Yield									oumping	
-	-NW   -	– NE –	1			BE USED A		ublic water s Il field water			onditioning		njection well	a)
l w∟	1	<u>.</u> !	_E	1 Dom 2 Irriga		3 Feedlot 4 Industria	al 7 D	omestic (lav	vn & garden)	9 Dewa 10 Monit	toring well	1200 August	Other (Specify bel	ow)
		1		·				•	,		·	extroc	aroul Air 2	parge
-	-sw	- SE -	-	Was a che	emical/ba	acteriologica	l sample su	bmitted to	Department?	Yes	NoX	; If yes, n	no/day/yrs sample	was sub-
	1	1		mitted					W	/ater Well	Disinfecte	d? Yes	N	0
	S													
	OF BLANK					Wrought iro		8 Concre			SING JOI		ed Clampe	
1 Ste		3 R 4 A	MP (SF BS	٦)		Asbestos-C Fiberglass	ement		(specify belov	-			ded	
				in. 1			ft Dia				ft Dia		in. to	
													ge No	
	SCREEN OF	RPERFO	RATIO	N MATERIA	AL:			( 7 PV	©		10 Asb	estos-Cen	nent	
1 Ste			tainless alvaniz	s Steel ed Steel		Fiberglass Concrete til	le.	8 RM 9 AB	MP (SR)			er (Specify ne used (or	/) nen hole)	
2 Bra	OR PERFOF					CONTOICE III		d wrapped		8 Sav		.0 0000 (0)	11 None (open	hole)
	ntinuous slot	ATION	3 M	ill slot	"	(	6 Wire w		2		led holes		11 None (open	noie)
	vered shutte	r '	<del>4 K</del>	ey punched	11		7 Torch	_		4 -	` ' '	,		
SCREEN-	PERFORATI	ED INTER		From .	<u> </u>								10.4	
	GRAVEL PA	CK INTER	RVALS	From	40	••••••	ft. to ft. to	35.7	tt., From ft From	]	31.4	ft. to	8.4	ft.
	OI I/WEET/	01(11412)	117120										)	
6 GRO	UT MATERIA		1 Nooi	t cement		2 Cement of	arout	3 Ben	ionito 1	4 Othor				
Grout Inte		n 35.	7	ft to									ft. to	
	e nearest so									stock pens			Abandoned water	
1 Se	ptic tank		4 Later	al lines		7	Pit privy		11 Fuel	storage		15 (	Oil well/Gas well	
2 Se	wer lines	ţ	5 Cess	pool		8	Sewage la	goon	12 Fertil	lizer stora	ge	16 (	Other (specify belo	ow)
	atertight sewe	er lines 6	6 Seep	age pit		9	Feedyard			cticide sto	rage			
Direction f		Ι.			00101	~ <b>^</b>		55014	How ma	ny feet?		100111011	ITED MI O	
FROM	то				OGIC LO	200		FROM	то		PLU	GGING IN	ITERVALS	
· · · · · ·			Se	e Hott	ach	ec								
-														W-14
7 CONTE	RACTOR'S C	R LAND	OWNE	R'S CERTI	EICATIO	N: This wat	er well was	constr	ucted, (2) rec	onstructe	d, or (3) p	lugged un	der my jurisdictio ngwledge and beli	n and was
									and this re	ecord is tru	ue to the b	est of my k	nowledge and beli	ef. Kansas
	l Contractor's business nam	_	No	•	/ >			vell Record	was complete	ed on (mo (signature			. <del></del>	
			04r-1		CAT	CMPC		ill in blanks	·	• •		on the constant	s to Kansas Departmen	at of Hooleh
and Envir	ronment, Bureau Fee of \$5.00 for e	of Water, Ge	ology Se	ction, 1000 SW	Jackson S	it., Suite 420, To	peka, Kansas	66612-1367. Te	lephone 785-296-	5522. Send	one to WATE	WELL OWN	ER and retain one for y	our

SITE LOCATION  DATE COMPLIE  DRILLING ME  SAMPLING ME  OBSERVER:  REFERENCE P  ELEVATION O  STICK-UP: Flue  SURFACE COM  REMARKS:  ABBREVIATION	No ON: LETED: DMPANY: ETHOD: IETHOD: OF RP: ush MPLETIO NS: EC=RECOVE	Kansas City 401 E. Donc Kansas City 10/05/05 Boart Longy Kevin O'Bri 8 1/4 Hollov N/A Susan Swee RP) Grade  DN: MC=MACRO ERY	r Terminal ovan Road r, KS 66115  year ian w Stem Auger  tt South of MW-2  Gravel (Temp)  O CORE W=WA PPM=PARTS PER	ASH C=CUTT	FBG=FEET BELOW GRADE
DATE COMPLIDE DRILLING ME  SAMPLING ME  SAMPLING ME  OBSERVER:  REFERENCE P  ELEVATION O  STICK-UP: Flue  SURFACE COM  REMARKS:  ABBREVIATION  REC  DEPTH (F.  FROM  0  7  8  27	DMPANY:  ETHOD:  ETHOD:  POINT (R.  OF RP:  ush  MPLETIO  NS:  EC=RECOVI	401 E. Dono Kansas City  10/05/05 Boart Longy Kevin O'Bri 8 1/4 Hollov N/A Susan Swee  P) Grade  ON:  MC=MACRO ERY  SAMPLE	year  ian  w Stem Auger  tt  South of MW-2  Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	SCREEN SIZE & TYPE:  AS - 0.020  AS - 0.020  SLOT NO.:  MPE - 0.010  SETTING:  AS - 12/20  SAND PACK SIZE & TYPE:  MPE - 16/30  AS  SETTING:  40 fbg - 35.7 fbg  31.4 fbg - 8.4 fbg  AS - 2-inch sch 40 PVC  AS MPE  AS MPE  AS MPE  SETTING:  36.5 fbg - 1.0 fbg  AS - 1/4-inch bentonite time release pellets  SEAL TYPE:  MPE - 3/8-inch Bentonite Chips  AS MPE  SETTING:  35.7 fbg - 31.4 fbg  84 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL:  N/A  DEVELOPMENT METHOD:  N/A  DURATION:  THE AS MAPE  STENELBY TUBE  FBG=FEET BELOW GRADE
DRILLING ME  SAMPLING ME  OBSERVER:  REFERENCE P  ELEVATION O  STICK-UP: Flue SURFACE COM REMARKS:  ABBREVIATION REC  DEPTH (F  FROM  0  7  8  27	LETED: DMPANY: ETHOD: ETHOD: POINT (R OF RP: ush MPLETIO NS: EC=RECOVI	10/05/05  Boart Longy Kevin O'Bri 8 1/4 Hollov N/A Susan Swee RP) Grade ON: MC=MACRO ERY SAMPLE	year ian w Stem Auger  t South of MW-2  Gravel (Temp) CORE W=WA PPM=PARTS PER  RECOVERED	PID READING	AS - 0.020  MPE - 0.010  SETTING: 30.4 fbg - 10.4  AS - 12/20  SAND PACK SIZE & TYPE: MPE - 16/30  AS MPE  SETTING: 40 fbg - 35.7 fbg 31.4 fbg - 8.4 fbg  AS - 2-inch sch 40 PVC  CASING SIZE & TYPE: MPE - 4-inch sch 40 PVC  AS MPE  SETTING: 36.5 fbg - 1.0 fbg 10.4 fbg - 1.0 fbg  AS - 1/4-inch bentonite time release pellets  SEAL TYPE: MPE - 3/8-inch Bentonite Chips  AS MPE  SETTING: 35.7 fbg - 31.4 fbg 8.4 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
DRILLING ME  SAMPLING ME  OBSERVER:  REFERENCE P  ELEVATION O  STICK-UP: Flue SURFACE COM REMARKS:  ABBREVIATION REC  DEPTH (F  FROM  0  7  8  27	DMPANY: ETHOD: ETHOD: POINT (R OF RP: ush MPLETIO NS: EC=RECOVI	Kevin O'Bri 8 1/4 Hollov N/A Susan Swee AP) Grade  MC=MACRO ERY SAMPLE	stem Auger  South of MW-2  Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	SAND PACK SIZE & TYPE: MPE - 16/30  AS MPE  SETTING: 40 fbg - 35.7 fbg 31.4 fbg - 8.4 fbg  AS - 2-inch sch 40 PVC  CASING SIZE & TYPE: MPE - 4-inch sch 40 PVC  AS MPE  SETTING: 36.5 fbg - 1.0 fbg 10.4 fbg - 1.0 fbg  AS - 1/4-inch bentonite time release pellets  SEAL TYPE: MPE - 3/8-inch Bentonite Chips  AS MPE  SETTING: 35.7 fbg - 31.4 fbg 8.4 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
DRILLING ME SAMPLING ME OBSERVER: REFERENCE P ELEVATION O STICK-UP: Flue SURFACE COM REMARKS: ABBREVIATION REC DEPTH (F- FROM 0 7 8 27	ETHOD: IETHOD: POINT (R) OF RP: ush MPLETIO NS: EC=RECOVI	Kevin O'Bri 8 1/4 Hollov N/A Susan Swee RP) Grade ON: MC=MACRO ERY SAMPLE	stem Auger  South of MW-2  Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	SETTING: 40 fbg - 35.7 fbg 31.4 fbg - 8.4 fbg  AS - 2-inch sch 40 PVC  CASING SIZE & TYPE: MPE - 4-inch sch 40 PVC  AS MPE  SETTING: 36.5 fbg - 1.0 fbg 10.4 fbg - 1.0 fbg  AS - 1/4-inch bentonite time release pellets  SEAL TYPE: MPE - 3/8-inch Bentonite Chips  AS MPE  SETTING: 35.7 fbg - 31.4 fbg 8.4 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
SAMPLING ME OBSERVER: REFERENCE P ELEVATION O STICK-UP: Flue SURFACE COM REMARKS: ABBREVIATION REC DEPTH (F- FROM 0 7 8 27	ETHOD:  IETHOD:  POINT (R)  OF RP:  ush  MPLETIO  NS:  EC=RECOVI	8 1/4 Hollov N/A Susan Swee RP) Grade ON: MC=MACRO ERY SAMPLE	w Stem Auger  tt  South of MW-2  Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	CASING SIZE & TYPE:  AS  MPE  SETTING:  36.5 fbg - 1.0 fbg  AS - 1/4-inch bentonite time release pellets  SEAL TYPE:  MPE - 3/8-inch Bentonite Chips  AS  MPE  SETTING:  35.7 fbg - 31.4 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL:  N/A  DEVELOPMENT METHOD:  N/A  DURATION:  YIELD:  INGS G=GRAB  ST=SHELBY TUBE  FBG=FEET BELOW GRADE
SAMPLING ME OBSERVER: REFERENCE P ELEVATION O STICK-UP: Flue SURFACE COM REMARKS: ABBREVIATION REC DEPTH (F- FROM 0 7 8 27	POINT (R OF RP: ush MPLETIO NS: EC=RECOVE	N/A Susan Swee RP) Grade ON: MC=MACRO ERY SAMPLE	South of MW-2  Gravel (Temp)  CORE W=WA PPM=PARTS PER  RECOVERED	PID READING	SETTING: 36.5 fbg - 1.0 fbg 10.4 fbg - 1.0 fbg  AS - 1/4-inch bentonite time release pellets  SEAL TYPE: MPE - 3/8-inch Bentonite Chips  AS MPE  SETTING: 35.7 fbg - 31.4 fbg 8.4 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
OBSERVER: REFERENCE P ELEVATION O STICK-UP: Flus SURFACE COM REMARKS: ABBREVIATION REC DEPTH (FI FROM 0 7 8 27	POINT (R) OF RP: ush MPLETIO NS: EC=RECOVI	Susan Swee  RP)  Grade  ON:  MC=MACRO ERY  SAMPLE	South of MW-2  Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	SEAL TYPE: MPE - 3/8-inch Bentonite Chips AS MPE SETTING: 35.7 fbg - 31.4 fbg 8.4 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
REFERENCE P ELEVATION O STICK-UP: Flus SURFACE COM REMARKS: ABBREVIATION REC DEPTH (F FROM 0 7 8 27	POINT (R OF RP: ush MPLETIO NS: EC=RECOVI	Grade ON: MC=MACRO ERY SAMPLE	South of MW-2  Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	SETTING: 35.7 fbg - 31.4 fbg 8.4 fbg - 5.0 fbg  BACKFILL TYPE: Sand  STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
ELEVATION O STICK-UP: Flux SURFACE COM REMARKS: ABBREVIATION REC DEPTH (F FROM 0 7 8 27	OF RP:  ush  MPLETIO  NS:  EC=RECOVI  Feet)	Grade  ON:  MC=MACRO ERY  SAMPLE	Gravel (Temp)  CORE W=WA  PPM=PARTS PER  RECOVERED	PID READING	STATIC WATER LEVEL: N/A  DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
STICK-UP: Flus SURFACE COM REMARKS: ABBREVIATION REC DEPTH (FI FROM 0 7 8 27	ush MPLETIO  NS: EC=RECOVI  Feet)	ON:  MC=MACRO ERY  SAMPLE	O CORE W=WA PPM=PARTS PER RECOVERED	PID READING	DEVELOPMENT METHOD: N/A  DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
SURFACE COM REMARKS:  ABBREVIATION  REC  DEPTH (F. FROM  0  7  8  27	MPLETIO  NS:  EC=RECOVI  Feet)	MC=MACRO ERY SAMPLE	O CORE W=WA PPM=PARTS PER RECOVERED	PID READING	DURATION: YIELD:  INGS G=GRAB ST=SHELBY TUBE  FBG=FEET BELOW GRADE
ABBREVIATION REC DEPTH (F FROM 0 7 8 27	EC=RECOVE	SAMPLE	PPM=PARTS PER RECOVERED	PID READING	FBG=FEET BELOW GRADE
7 8 27	EC=RECOVE	SAMPLE	PPM=PARTS PER RECOVERED	PID READING	FBG=FEET BELOW GRADE
FROM  0  7  8  27		-	1		DESCRIPTION
0 7 8 27				(FF )	
7 8 27	7				Open bore hole.
8 27	8	С			CLAY
	27	С			SAND, fine, some silt; gray; dry; odor.
39	39	С			SAND, fine, some silt; gray; wet; odor.
	40	С			SAND, grades to medium; gray; wet; odor.
	1				
				1	1