	WATER WELL REC	ORD Form WWC-5	KSA 82a-1	212 ID No	WDE	1 AS-	33	
1 LOCATION OF WATER WELL:		OND TOME WWO-5		on Number	Township	Number	Range Nu	mber
County: Wyando He		NW 14 1		55	т (. 1	R 25	
Distance and direction from nearest		4				, ,		
		, Kansas Gt		66115	•			
HOLE DON	WAD FO	Lansas ut	Y PS	W W 1113				
2 WATER WELL OWNER: Mag	Ellan Liberi	ne company						
RR#, St. Address, Box # : 401	E-DONOUAN E						ivision of Water I	Resources
City, State, ZIP Code : Kon	sas city,	ks beils				n Number:		
3 LOCATE WELL'S LOCATION WI	TH 4 DEPTH OF C	OMPLETED WELL3	9.5	ft. ELEVAT	ION: 7.44_3	•••••		
AN "X" IN SECTION BOX:	Depth(s) Groun	dwater Encountered		ft.	2	ft. 3		ft.
N N	WELL'S STATIC	C WATER LEVEL N	ft. belov	v land surface	measured on r	no/day/yr		
		np test data: Well water						
	1	gpm: Well water						gpm
			oblic water su Dil field water s		8 Air conditioni9 Dewatering		njection well Other (Specify bel	ow)
w	1 Domestic 2 Irrigation	3 Feedlot 6 C 4 Industrial 7 E	Omestic (law	suppiy 1.& narden) 1		المصادرة الم	From Arrows	NAMO
1 1	E 2 migation	4 industrial 7 L	omesiie (iawi	ra gardon, r	o monitoring w	··· extrect	HOM HALL	المراجع المراجع
						1	•	
SW SE		l/bacteriological sample s	ubmitted to D					
	mitted			Wa	ter Well Disinfe	cted? Yes	N	0
S								
5 TYPE OF BLANK CASING USE		5 Wrought iron	8 Concret	e tile	CASING J	OINTS: Glue	d Clampe	ed
1 Steel 3 RMP		6 Asbestos-Cement		pecify below)			led	
PVC 4 ABS		7 Fiberglass					aded	
Blank casing diameter2	in. to	3 し、 ft Dia	H	in. to9	. ナ ft [Dia	in. to	ft.
Casing height above land surface								
TYPE OF SCREEN OR PERFORA		, woight	PVC			sbestos-Cem		
	nless Steel	5 Fiberglass	8 FIMI)	
1 01001	anized Steel	6 Concrete tile	9 ABS			one used (or	,	
2 5.000							,	h ala)
SCREEN OR PERFORATION OPE			ed wrapped	L/	8 Saw cut 9 Drilled hole	6	11 None (open	noie)
	Mill slot 4	7 Torch						ft
2 Louvered shutter	4 Key punched.			,			9.7	
SCREEN-PERFORATED INTERVA								
ODAVEL BACK INTERV	From	ft. to	کست	ft., From .	24 7	IT. to	1. 9	
GRAVEL PACK INTERVA	ALS: From	ft. to	2.5	π., From .		II. IO		
	F10111		•••••	11., 1 10111 .		10.		
6 GROUT MATERIAL: 1 I	Neat cement	2 Cement grout	3 Bento	nite 4	Other			
		. 2 ft., From 6						
What is the nearest source of poss				10 Livesto			Abandoned water	
1 Septic tank 4 L		7 Pit privy			•		Oil well/Gas well	****
1					-		Other (specify bel	out/
I .	Cess pool	8 Sewage I	ū		er storage	16 C	Afrier (specify bei	ow)
3 Watertight sewer lines 6 S	Seepage pit	9 Feedyard			cide storage		•••••	
Direction from well?				How many	/ feet?			
FROM TO	LITHOLOGIC	LQG	FROM	то	P	LUGGING IN	TERVALS	
See	= Attacume	M						
				-				
7								
CONTRACTOR'S OR LANDOW completed on (mo/day/year)	WER'S CERTIFICA	TION: This water well wa	ıs (Constru	cted (2) recor	nstructed, or (3)	plugged und	der my jurisdictio	n and was
	7-22-05		\rightarrow	and this red	ord is true to the	best of my k	owledge and bel	ief. Kansas
Water Well Contractor's Licence No	, <u>, , 54</u> 6	This Water	Well Record v	vas completed	l on (mo/day/yr)	عواسم	1-4-0	9
under the business name of	Art Longre	to Coupany		by (s	signature)	~~	7 _	
INSTRUCTIONS: Use typewriter or ball po	int pen. PLEASE PRESS F	FIRMLY and PRINT clearly. Please	fill in blanks, unde	rline or circle the o	correct answers. Sen	d top three cores	to Kansas Departmen	
and Environment, Bureau of Water, Geolog records. Fee of \$5.00 for each constructed	gy Section, 1000 SW Jacks	on St., Suite 420, Topeka, Kansas	66612-1367. Tele	phone 785-296-55	22. Send one to WA	TER WELLOWN	ER and retain one for	your

LE	GGETTE,		FIC LO RS & GRAHA Sity Missouri		OWNER: Magellan Pipeline Company, L.P. Well Number: MPE/AS - 33 PAGE 1 OF 1 PAGE(S)
SITE LOCA		Kansas City 401 E. Dono	Terminal ovan Road		AS - 2-inch sch 40 V-wire SCREEN SIZE & TYPE: MPE - 4-inch sch 40 machine s AS 39.5 fbg - 36.5 f
		Kansas City	, K5 00115		AS - 0.020 MPE - 0.010 SETTING: 29.7 fbg - 9.7 fb
DATE COMPLETED: 09/22/05					SAND PACK SIZE & TYPE: MPE - 16/30 AS - 12/20 MPE - 16/30 MPE
DRILLING	COMPANY	: Boart Longy	/ear		AS MPE SETTING: 40 fbg - 35 fbg 30.2 fbg - 6.9 fbg AS - 2-inch sch 40 PVC
		Kevin O'Bri			CASING SIZE & TYPE: MPE - 4-inch sch 40 PVC AS MPE
			w Stem Auger		SETTING: 36.5 fbg - 1.0 fbg 9.7 fbg - 1.0 fbg AS - 1/4-inch bentonite time release pellets
SAMPLING OBSERVER		N/A Brandon Go	mer		SEAL TYPE: MPE - 3/8-inch Bentonite Chips AS MPE SETTING: 35 fbg - 30.2 fbg 6.9 fbg - 5.0 fbg
REFERENC			North of Station		BACKFILL TYPE: Sand
ELEVATIO	N OF RP:	Grade			STATIC WATER LEVEL: N/A
STICK-UP:					DEVELOPMENT METHOD: N/A
SURFACE OREMARKS:	COMPLETIC	ON:	Asphalt cover un	til completed	DURATION: YIELD:
ABBREVIAT	TONS: REC=RECOV		O CORE W=WA		INGS G=GRAB ST=SHELBY TUBE FBG=FEET BELOW GRADE
DEPTH FROM		SAMPLE TYPE		PID READING (ppm)	
0	5				Open bore hole.
5	25				open core note.
		С			SAND, fine, some silt; gray; dry; petroleum odor.
25	32	c c			
25 32	32 40				SAND, fine, some silt; gray; dry; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.
		С			SAND, fine, some silt; gray; dry; petroleum odor. SAND, fine, some silt; wet; petroleum odor.