		******	DEC	onn	138					
WATER WELL RECORD 1 LOCATION OF WATER WELL:					Form WWC-	5			r Resources; App. No.	
1				ER WELL:	Fraction 5E 1/4 /	₩/ ₄	Section Nu	ımber	Township Number	Range Number R 25 EW
	Distan	ce and dir	ection f	rom nearest town or o	ity street address of we	Global Positioning Systems (decimal degrees, min. of 4 digits)				
	located	d within ci	ity?			Latitude: 39 09 134 Longitude: 094 36 875				
2 WATER WELL OWNER: CM Comp							Longitude	e: 09	4 36 815	<u> </u>
DD " Corp.					airtax Plant		Elevation: 731			
		State, ZIP		TOO KINGET			Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							Wiethod. GPS			
3		ATE WEI	בר א	4 DEFINOR COM	EETED WELL			10.		
	WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1)									ft.
										عراه/30/11/ay/yr.
										gpm
	Est. Yieldgpm: Well water wasft. afterhours pumpinggp									
ĺ	WELL WATER TO BE USED AS: 5 Public water supply NE - NE - Fe WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 12 Other)									njection well
w	W - SW - SE - Was a chemical/bacteriological sample submitted to Department? Yes No									
										•••••
										If yes, mo/day/yrs
	Sample was submitted									· · · · · · · · · · · · · · · · · · ·
s										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (specify below) Welded										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC 4 ABS 7 Fiberglass Threaded. X										
Blank casing diameter . 2										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5. Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
S										
		GRAVEI	PACK	INTERVALS: From	35 m ft to	537	11., . ft	From	ft to	ft
	GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From										
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil wll/gas well										
Direction from well? How many feet? Plant.										
F	ROM	TO		LITHOLOG	IC LOG	FRO	M TO		PLUGGING IN	TERVALS
\vdash	0	3.5	Brn	sandy clay w/ cond loose, no odor.	rete rubble,					
-	3.5	7			, damp, soft, no oc	lor -				
	7	10		y clay to clayey s						
			mod	. odor, firm to so	ft.					
	10	19	Gra	y-olive green mott	led silty sand to					

clayey silty sand, moist, soft, mod odor.

Lt gray brn sand, fine-coarse, dry, mod odor.

Gray fine-coarse grained sand, wet, mod odor.

19

25.5

25.5

Under the business name of JB Environmental

35

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

by (signature)