

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

TMW 142

1 LOCATION OF WATER WELL:
 County: Wyandotte Fraction NE 1/4 SW 1/4 NE 1/4 Section Number 27 Township Number T 10 S Range Number R 25 EW
 Distance and direction from nearest town or city street address of well if located within city? _____ **Global Positioning Systems** (decimal degrees, min. of 4 digits)
 Latitude: 39 09 08.2
 Longitude: 094 36 35.6
 Elevation: 736
 Datum: _____
 Data Collection Method: GPS

2 WATER WELL OWNER:
 RR#, St. Address, Box # : GM Corp Fairfax Plant
 City, State, ZIP Code : 100 Kindelberger Rd
Kansas City, KS.

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:
 N

---	NW	---	NE	---
---		X		---
---	SW	---	SE	---

 E
 S

4 DEPTH OF COMPLETED WELL 30' ft.
 Depth(s) Groundwater Encountered (1) 23 ft. (2) ft. (3) ft.
 WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr: 10-16-07
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr
 Sample was submitted Water well disinfected? Yes No X

5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass Threaded X
 Blank casing diameter 2.375 in. to ft., Diameter in. to ft., Diameter in. to ft.
 Casing height above land surface 2' in., Weight lbs./ft. Wall thickness or gauge No. sch 40

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 30' ft. to 20' ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 30' ft. to 18' ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 18' ft. to 0' ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage Foumer Abandoned water well below
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3.0	DK Br clay w/ root fragments			
3.0	8.0	DK gray clayey silt			
8.0	11.0	Gray silty sand, fine grained			
11.0	30.0	Gray fine-med grained sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-16-07 and this record is true to the best of my knowledge and belief.
 Kansas Water Well Contractor's License No. ... 732 This Water Well Record was completed on (mo/day/year) 11-3-07
 under the business name of JB Environmental by (signature) James Beckel

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.